

Purchasing Department
Madison County Board of Supervisors
146 West Center Street
Canton, Mississippi 39046

601-855-5503
hardy@madison-co.com

13 August 2013

District 1 Supervisor John Bell Crosby
District 2 Supervisor Ronny Lott
District 3 Supervisor Gerald Steen
District 4 Supervisor Karl Banks
District 5 Supervisor Paul Griffin

Subject: Award Term Bid for Tied Concrete Block Mats to Southern Pipe

Gentlemen:

Term bids were recently opened for Tied Concrete Block Mats for the period 20 August 2013 – 30 September 2014. Two bids were received:

- | | |
|-----------------------------|------------------------|
| 1. Southern Pipe and Supply | \$3.72 per square foot |
| 2. Southern Heat | \$4.25 per square foot |

I recommend that the board take the following action:

1. Award the term bid for Tied Concrete Block Mats for the period 20 August 2013 – 30 September 2013 to Southern Pipe at the price of \$3.72 per square foot.
2. Award the first-alternate term bid for Tied Concrete Block Mats for the period 20 August 2013 – 30 September 2013 to Southern Heat at the price of \$4.25 per square foot.

Thank you in advance for your consideration of the above recommendations,


Hardy Crunk
Purchase Clerk

Attachment: Copies of bids

**MADISON COUNTY BOARD OF SUPERVISORS
SPECIFICATIONS AND BID SHEET**

TIED CONCRETE-BLOCK MATS

TERM BID FOR PERIOD 20 AUGUST 2013 – 30 SEPTEMBER 2014

**ALL BIDS DUE 10 A.M. 13 AUGUST 2013
MADISON COUNTY CHANCERY CLERK'S OFFICE
MADISON COUNTY CHANCERY COURTHOUSE
ROOMS 225-227, SECOND FLOOR,
BIDS MUST BE SIGNED AND SUBMITTED ON COUNTY-FURNISHED
BID SHEET—NO EXCEPTIONS**

SPECIFICATIONS

Tied concrete-block mats shall be manufactured from individual concrete-blocks tied together with a high-strength geogrid. Each block shall be tapered, beveled, and interlocked. The individual blocks shall be a rectangular pyramid shape approximately two-inches thick at the center with an overall measurement of approximately 7 inches by 7-inches with approximately a 1.5-inch spacing between individual blocks. Each block shall incorporate interlocking surfaces or connections that prevent lateral displacement of the blocks within the mats when they are lifted for placement. All units shall be sound and free of defects that would interfere with the proper placing of the unit or impair the strength or permanence of the construction. Mat shall be constructed of high tenacity, low elongating, and continuous filament polypropylene fibers.

Bidder's concrete-block mats must be available in rolls of the following approximate sizes: (1) 8 feet by 30 feet and (2) 5 to 6 feet by 50 feet. Rolled mats shall have a strap for lifting roll into place with a backhoe or excavator.

BID

Tied Concrete-Block Mat: \$3.72 per square foot

COMPANY NAME: Southern Pipe and Supply

ADDRESS: 102 Holloway Blvd
Richland MS 39218

TELEPHONE: 601-932-2700

EMAIL: Wesbrewer@southernpipe.com

SIGNATURE: [Signature] DATE: 8/13/13

**MADISON COUNTY BOARD OF SUPERVISORS
SPECIFICATIONS AND BID SHEET**

TIED CONCRETE-BLOCK MATS

TERM BID FOR PERIOD 20 AUGUST 2013 – 30 SEPTEMBER 2014

**ALL BIDS DUE 10 A.M. 13 AUGUST 2013
MADISON COUNTY CHANCERY CLERK'S OFFICE
MADISON COUNTY CHANCERY COURTHOUSE
ROOMS 225-227, SECOND FLOOR,
BIDS MUST BE SIGNED AND SUBMITTED ON COUNTY-FURNISHED
BID SHEET—NO EXCEPTIONS**

SPECIFICATIONS

Tied concrete-block mats shall be manufactured from individual concrete-blocks tied together with a high-strength geogrid. Each block shall be tapered, beveled, and interlocked. The individual blocks shall be a rectangular pyramid shape approximately two-inches thick at the center with an overall measurement of approximately 7 inches by 7-inches with approximately a 1.5-inch spacing between individual blocks. Each block shall incorporate interlocking surfaces or connections that prevent lateral displacement of the blocks within the mats when they are lifted for placement. All units shall be sound and free of defects that would interfere with the proper placing of the unit or impair the strength or permanence of the construction. Mat shall be constructed of high tenacity, low elongating, and continuous filament polypropylene fibers.

Bidder's concrete-block mats must be available in rolls of the following approximate sizes: (1) 8 feet by 30 feet and (2) 5 to 6 feet by 50 feet. Rolled mats shall have a strap for lifting roll into place with a backhoe or excavator.

BID

Tied Concrete-Block Mat: 4.25 per square foot

COMPANY NAME: Southern Heat

ADDRESS: 645 Henderson Dr Suite 8
Cartersville, GA 30120

TELEPHONE: 601-383-5585

EMAIL: jreed@southernheatcorp.com

SIGNATURE: J Reed DATE: 8/7/13