




## PURCHASING DEPARTMENT

Madison County Board of Supervisors  
146 West Center Street  
Canton, MS 39046 / 601-855-5534  
[kesha.buckner@madison-co.com](mailto:kesha.buckner@madison-co.com)

September 7, 2021

To: Board of Supervisors  
From: Kesha Buckner, Purchasing Clerk   
Subject: Reject Dump Truck Chassis Proposals

Attached are (2) recently opened dump truck chassis proposals. Truckworx submitted an electronic proposal and TriState Truck Center submitted a sealed proposal. The proposed products that were submitted do not meet required specifications advertised.

I recommend that the Board take the following actions:

1. Acknowledge all proposals submitted;
2. Reject Truckworx and TriState Truck Center proposals for not meeting specifications;
3. Authorize to re-advertise with revise specifications.

Thank you in advance for your consideration of the above recommendations.

**Attachment: Copies of Proposals**  
**Copy of Email/State Auditor Office**

- Create New Bid
- View Pending Bids
- View Open Bids
- View Closed Bids
- View Public Log
- Bid System Log
- Permissions
- Current Time: 08-26-2021 11:53:39 am

Show  entries

Search:

ID	Name	Phone	Email	Company Name	Date Submitted	Bid Amount	View Bid
2539	onvia source management	(584) 692-1573	SVC@onvia.com	c cxz	08-03-2021 05:00:59 pm	\$0.00	
2541	onvia source management	(584) 692-1573	SVC@onvia.com	c cxz	08-13-2021 12:56:25 pm	\$0.00	
2545	Samantha Raner	(601) 618-0467	samanthar@truckworx.com	Truckworx	08-26-2021 09:48:45 am	\$0.00	<a href="#">View Bid</a>

Showing 1 to 3 of 3 entries

[Previous](#)    1    [Next](#)

**Madison County Board of Supervisors**  
**One or More:**  
**2022 Model Year Single Axle Day Cab Class 7 Straight Truck**  
**Chassis Equipped with an 8/9-yard dump body**

	Yes	No	Offered
<b><u>Engine Equipment:</u></b>			
300HP @2600 RPM 660 LB-FT Torque	✓	_____	_____
Common Rail Fuel Injection System	✓	_____	_____
Engine must meet all Federal Emissions			
Exhaust Pressure Governor	✓	_____	_____
Overall Chassis Height 109.6 inches from ground	✓	_____	_____
Single Exhaust Underframe Right Side Inboard Mounted	✓	_____	<u>Vertical</u>
Alternator 12V 145 Amp	✓	_____	<u>140 Amp</u>
Starter 12 V	✓	_____	_____
Engine Brake	✓	_____	_____
Transmission Equipment			
2500 RDS 6 SP-Allison RDS GEN 5 or equivalent W/PTO Provisions	✓	_____	<u>Exceed w/ 3500 RDS</u>

	Yes	No	Offered
<b><u>Front Axle:</u></b>			
12000 lbs. Meritor MFS+ Axle or equivalent	_____	✓	<u>Dana 10K</u>
Front springs 12300 LB. Taperleaf	_____	✓	<u>10K</u>
Front Brakes Meritor "S" Cam Gen 16.5"x5"Q+	_____	✓	<u>15X4 Cast</u>
<b>Rear Axle Equipment:</b>			
21000 lbs. Meritor MS 21-14X Single Rear Axle or equivalent	✓	_____	<u>22K D. rated @ 11K</u>
Rear Differential Lock	_____	✓	_____
Rear Suspension 21000 lbs. Multileaf Springs	✓	_____	<u>Exceed w/ 23K lbs.</u>
Rear Brakes Meritor "S" Cam 16.5"X7" Q+ or equivalent	✓	_____	_____
Rear Axle Ratio 5.57	_____	✓	<u>5.29</u>

Initial SR Date 8/24/21

	Yes	No	Offered
<b><u>Frame Equipment:</u></b>			
150" Wheelbase	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Exceed 154"
87" Cab to Axle	<input type="checkbox"/>	<input checked="" type="checkbox"/>	84.50
50" After Frame	<input checked="" type="checkbox"/>	<input type="checkbox"/>	48"
103" Bumper to Back of Cab	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Fuel Filter and Water Separator	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
50 Gallon 22" Aluminum Round Fuel Tank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Exceed 160 Gal
Steel Frame Rails 10.24"x2.75"x0.31"	<input type="checkbox"/>	<input checked="" type="checkbox"/>	10-5/8 x 5 1/2"
RBM 1,580,000 LB-inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Exceed 1,776,000

	Yes	No	Offered
<b><u>Cab Interior/ Exterior</u></b>			
DOT Safety Equipment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Radio AM-FM, MP3, Weather Band	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Bluetooth and USB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Driver's Seat Air Suspended	<input type="checkbox"/>	<input type="checkbox"/>	
Mordura Drivers and Passenger	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Seat Upholstery	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Fixed Bench Seat Support with Integrated	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Storage Box	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tilt & Telescoping Steering Wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Dual Sun visors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Power Windows and Door Locks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Intermittent Wipers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<b><u>Tires:</u></b>			
Front 11R22.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	295/75R22.5 14P
Rear 11R22.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	295/75R22.5 14F

	YES	NO	OFFERED
22.5x8.25, Powder Coated White Steel Disc Wheels, Front and Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<b><u>Color:</u></b>			
White in Color	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Frame Color Black	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Initial SR Date 8/24/21



**MANDATORY BID SHEET**

COMPANY NAME: Truckworx

ADDRESS: 330 Leggett Dr. Richland, MS 39218

TELEPHONE: 601-420-4476

FAX NUMBER: 800-233-2807

EMAIL: Samantha@truckworx.com

  
AUTHORIZED REPRESENTATIVE'S SIGNATURE

8-24-21  
DATE

Samantha Laner  
PRINTED AUTHORIZED REPRESENTATIVE'S NAME HERE

PROPOSAL SHEET MUST BE SIGNED AND DATED BY AN AUTHORIZED COMPANY REPRESENTATIVE

MUST INCLUDE PRODUCT SUMMARY, INCLUDING DETAILS OF ALL FEATURES AND OPTIONS OF PROPOSED VEHICLE

Initial SL Date 8-24-21

**Madison County Board of Supervisors  
One or More:**

**2022 Model Year Single Axle Day Cab Class 7 Straight Truck  
Chassis Equipped with an 8/9-yard dump body**

	Yes	No	Offered
<b><u>Engine Equipment:</u></b>			
300HP @2600 RPM 660 LB-FT Torque	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Common Rail Fuel Injection System	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Engine must meet all Federal Emissions			
Exhaust Pressure Governor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Overall Chassis Height 109.6 inches from ground	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Single Exhaust Underframe Right Side Inboard Mounted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Alternator 12V 145 Amp	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Starter 12 V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Engine Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Transmission Equipment			
2500 RDS 6 SP-Allison RDS GEN 5 or equivalent W/PTO Provisions	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
	Yes	No	Offered
<b><u>Front Axle:</u></b>			
12000 lbs. Meritor MFS+ Axle or equivalent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Front springs 12300 LB. Taperleaf	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Front Brakes Meritor "S" Cam Gen 16.5"x5"Q+	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
<b>Rear Axle Equipment:</b>			
21000 lbs. Meritor MS 21-14X Single Rear Axle or equivalent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Rear Differential Lock	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Rear Suspension 21000 lbs. Multileaf Springs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Rear Brakes Meritor "S" Cam 16.5"X7" Q+ or equivalent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Rear Axle Ratio 5.57	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

Initial AT Date 8/23/21

**Frame Equipment:**

	Yes	No	Offered
150" Wheelbase	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
87" Cab to Axle	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
50" After Frame	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
103" Bumper to Back of Cab	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Fuel Filter and Water Separator	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
50 Gallon 22" Aluminum Round Fuel Tank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Steel Frame Rails 10.24"x2.75"x0.31"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
RBM 1,580,000 LB-inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

**Cab Interior/ Exterior**

	Yes	No	Offered
DOT Safety Equipment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Radio AM-FM, MP3, Weather Band	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Bluetooth and USB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Driver's Seat Air Suspended	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Mordura Drivers and Passenger	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Seat Upholstery	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Fixed Bench Seat Support with Integrated Storage Box	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tilt & Telescoping Steering Wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Dual Sun visors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Power Windows and Door Locks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Intermittent Wipers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

**Tires:**

Front 11R22.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Rear 11R22.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

22.5x8.25, Powder Coated White Steel Disc  
Wheels, Front and Rear

YES	NO	OFFERED
<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

**Color:**

White in Color	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Frame Color Black	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

Initial AA Date 5/23/21



**Warranty:**

Optional Purchase Coverage Warranty  
 Engine and Engine after Treatment System

Term Mileage See Attached Added Cost \_\_\_\_\_

Please Provide a detailed description of the coverage proposed along with standard warranty coverage

Yes No Offered

**Miscellaneous:**

Selling Dealer Service Facility within 30 miles  
 Of Canton, MS

\_\_\_\_\_

3 and 5 year Buy-Back offered by the selling vendor – No 3<sup>rd</sup> party residuals will be accepted.

**Required Body Specs:**

YES NO OFFERED

8/9 Yard Steel Body

\_\_\_\_\_

10' Body Length

\_\_\_\_\_

Hoist Model 6382

\_\_\_\_\_ J \_\_\_\_\_

Frame Style Tube?

\_\_\_\_\_ exception Hwa 5383

Front Style Straight

\_\_\_\_\_ tubing subframe

Rear Style Straight

\_\_\_\_\_

Front Height 42"

\_\_\_\_\_

Side Height 36"

\_\_\_\_\_ 38"

Rear Height 38"

\_\_\_\_\_ 42"

Side Material Sheet 10GA -A36

\_\_\_\_\_ 1000 A 1011 A45

Front Material Sheet 10GA-A36

\_\_\_\_\_ 11 11

Cab Shield Projection 24"

\_\_\_\_\_

Cab Shield Width 85"

\_\_\_\_\_ exceed 96"

Mountain Electric Tarp

\_\_\_\_\_ Donovan

Side Top Rail Style 4x4x.120

\_\_\_\_\_

Dump Apron Size 8

\_\_\_\_\_

Board Holder Height 6

\_\_\_\_\_

Body Color Black

\_\_\_\_\_

Rear Mud Flaps

\_\_\_\_\_

Back Up Alarm

\_\_\_\_\_

Pintle Hitch & Brake Controller

\_\_\_\_\_ 30T

Initial AT Date 8/23/21

**MANDATORY BID SHEET**

COMPANY NAME: TRI STATE TRUCK CENTER

ADDRESS: 412 Hwy 49 S. Richland, MS 39218

TELEPHONE: 601-932-3400

FAX NUMBER: 601-932-3406

EMAIL: athyames@tristatetruck.com

  
\_\_\_\_\_  
AUTHORIZED REPRESENTATIVE'S SIGNATURE

8/23/21  
\_\_\_\_\_  
DATE

Amos Thames  
\_\_\_\_\_  
PRINTED AUTHORIZED REPRESENTATIVE'S NAME HERE

PROPOSAL SHEET MUST BE SIGNED AND DATED BY AN AUTHORIZED COMPANY REPRESENTATIVE

MUST INCLUDE PRODUCT SUMMARY, INCLUDING DETAILS OF ALL FEATURES AND OPTIONS OF PROPOSED VEHICLE

Initial \_\_\_\_\_ Date \_\_\_\_\_

## Kesha Buckner

---

**From:** Jennifer Salvo <Jennifer.Salvo@osa.ms.gov>  
**Sent:** Tuesday, August 31, 2021 9:46 AM  
**To:** Kesha Buckner  
**Subject:** RE: Bid Opening

**CAUTION!** *External Content. Please use caution when opening attachments and links. Do not provide your username and password if requested.*

Kesha,

Thank you for following up with your email. As we discussed by phone, because neither company submitted a bid that fully meets the specs advertised for, our recommendation is to reject both bids and not run the reverse auction. You will need to start over and re-advertise the request for bids.

There are situations where it would be okay to accept a bid that meets specs plus offers extras; however, in that situation you cannot consider the extras when deciding to accept the bid. But if the bid with extras was the only one that met the specs and then also offered extras, you could accept it if it fits within the budgeted amount for the truck.

Here, since neither bid meets the specs fully, you will need to re-advertise.

Please let me know if you have additional questions.

Jennifer

Jennifer Salvo  
Office of the State Auditor  
Technical Assistance Division  
1.800.321.1275

Assistance provided by the Office of the State Auditor, Technical Assistance Division, is considered routine technical assistance and is not an official declaratory opinion of this office.

---

**From:** Kesha Buckner [mailto:Kesha.Buckner@madison-co.com]  
**Sent:** Tuesday, August 31, 2021 9:23 AM  
**To:** Jennifer Salvo <Jennifer.Salvo@osa.ms.gov>  
**Subject:** Bid Opening

Good Morning Ms. Jennifer

I spoke with you this morning regarding a recent bid opening on a Dump Truck for Madison County. We have (2) vendors that submitted an bid proposal bid on the Dump Truck which both vendors did not meet specifications presented on the specs provided by Madison County. Each vendors offered/ included more than what was requested on the specs from Madison County. Please advise how to handle this situation.

Thanks,

***Kesha Buckner***

MADISON COUNTY BOARD OF SUPERVISORS

Administrative Assistant & Purchase Clerk

146 West Center Street

P.O. Box 608

Canton, MS 39046

(601) 790-2590 (*BOS office*)

(601) 855-5534 (*direct*)

