

Department of Engineering
Tim Bryan, P.E., County Engineer

3137 South Liberty Street, Canton, MS 39046
Office (601) 790-2525 FAX (601) 859-3430

MEMORANDUM

October 15, 2021

To: Sheila Jones, Supervisor, District I
Trey Baxter, Supervisor, District II
Gerald Steen, Supervisor, District III
Karl Banks, Supervisor, District IV
Paul Griffin, Supervisor, District V

From: Tim Bryan, P.E., PTOE
County Engineer

Re: Telepak Networks, Inc./Cspire Utility Permit
County Road Name, Gluckstadt Road

The Engineering Department recommends approval of permit application for Telepak Networks, Inc. dba Cspire proposes a directional bore to install fiber optic cable to multiple customers, Madison Aesthetic and Family Medicine, LLC. and Empire Pharmaceuticals, LLC. on Gluckstadt Road (140 Gluckstadt Road).

SHEILA JONES
District One

TREY BAXTER
District Two

GERALD STEEN
District Three

KARL BANKS
District Four

PAUL GRIFFIN
District Five

Revised: 2/14/2019



Madison Aesthetic & Empire Pharmaceuticals

PERMIT APPLICATION FOR THE CONSTRUCTION OR ADJUSTMENT OF A UTILITY WITHIN COUNTY ROAD RIGHT-OF-WAY

Utility Information: Utility Name: Telepak Networks Inc dba Cspire
Address: 1018 Highland Col. Pkwy City/State/Zip: Ridgeland MS 39157
Contact Person: Jennifer A. Childs Contact's Phone: 601.624.7639

Project Information: County Road Name: Gluckstadt Rd.
(If located within more than one road right-of-way, use Appendix 1 for additional descriptions)

Beginning Location: Gluckstadt Rd. Ending Location: Gluckstadt Rd.

Length of Project: 1600 ft. Section: 20 Township: 0N Range: 2E

Description of Work: Cspire proposes a directional bore to install fiber optic cable to multiple customers on Gluckstadt Rd. (1040 Gluckstadt Rd.)

Check Box if Appendix 1 is to be included as a part of this Application

Whereas the above stated Utility makes application to the Madison County Board of Supervisors for a Construction Permit. Attached hereto are drawings and plans for the construction of the above facilities located within Madison County owned public rights-of-way. Once stamped by the Madison County Engineering Department, these plans shall not be changed or altered without written approval of the County Engineer, or his representative. A copy of the approved permit and plans shall be on-site at all times during construction.

The Applicant Utility shall comply with all policies, procedures and construction practices as outlined in A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads (hereinafter referred to as the "Policy"), as adopted on November 1, 2005, by the Madison County Board of Supervisors, and which is hereby made a part of this Application Agreement.

If facilities are to be located within the Rights-of-Way of the County-Federal or State Aid System, Applicant Utility also agrees to comply with applicable provisions of S.O.P. No. SA 11-2-8, Accommodation of Utilities on Rights-of-Way, issued by the State Aid Engineer and dated July 1, 2005.

The Applicant Utility understands and agrees that, except as herein granted, no right, title, claim, or easement to said road right-of-way is granted by the issuance of this permit. If this Utility is listed in the general provisions of the Policy, it will be adjusted to comply with same without cost to the County, unless the variance from the Policy has been approved by the granting of the Permit pursuant to this Application.

The Applicant Utility further understands that the Utility's engineering, plant, or other personnel will be responsible for the staking and construction supervision of the work set out above and as shown on the attached plans. If work impacts traffic in any way, the appropriate traffic control shall be installed per the Manual of Uniform Traffic Control Devices, Latest Edition.

The Applicant Utility understands that the County Engineer, or his representative, may issue a Stop Work Order at any time if it is deemed that site conditions are not suitable for construction or if any of the requirements of this permit are not being met.

Many County Roads have variable Rights-of-Way and/or no Right-of-Way at all and are maintained under a Prescriptive Easement. It is the sole responsibility of the Applicant Utility to verify the existence and limits of public rights-of-way. If none exists, it is the

responsibility of the Applicant Utility to acquire an easement for their Facilities from the applicable property owner(s). Madison County in no way verifies the limits of Right-of-Way as shown on the permit application.

The Applicant Utility shall be responsible for all future maintenance and repair of the facilities installed under this permit. The Applicant Utility shall make future adjustments to, or relocate, the facilities located within road or highway right-of-way when required for road or highway widening or other road or highway construction at no cost to Madison County. The Applicant Utility shall relocate said utilities within sixty (60) days of notification by County by registered mail, return receipt requested, unless otherwise designated by the County Engineer. Further, any maintenance, repair, or construction shall be done in such a manner as to occasion no unreasonable interference with the normal flow and safety to traffic and at the expense of the utility company. When reasonable care has been taken to locate said utility facilities within the right-of-way, the Applicant Utility understands that any damages caused by routine maintenance and construction by County forces shall be borne by the Applicant Utility.

The Applicant Utility further agrees to indemnify and hold Madison County harmless for any and all claims, accidents, damages, liabilities and expenses occasioned wholly, or in part, by any act or omission of applicant, its agents or employees. In case County shall, without fault on its own part, be made a party to any litigation commenced by or against applicant, then applicant shall protect and hold County harmless, and shall pay all costs, expenses and reasonable attorney's fees incurred or paid by County in connection with said litigation.

All underground facilities shall be installed at a depth equal to or greater than 48" below the lowest adjacent grade.

All pipes carrying liquid shall be encased under County maintained roads.

WITNESS the signature of the Applicant this the 15th day of October, 2021.

By: Jennifer Aaron Childs
(Applicant Signature)

Title: OSP Permit Specialist

Note: Applicant must be an employee of the Utility named in this application. The Madison County Board of Supervisors will not recognize a Contractor, Subcontractor, Agent, or Consulting Engineer as the Applicant. Utility Company shall be fully responsible for all work performed under this application.

I, or my authorized representative, have reviewed this application and determined that the drawing, sketches, and plans submitted by the Applicant meet the requirements of A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads.

APPROVED

By By timothy.bryan at 11:24 am, Oct 27, 2021

Tim Bryan, P.E.
County Engineer

AGREED TO AND APPROVED BY:

Madison County Board President

Date: _____

ENTERED INTO THE MINUTES OF THE BOARD OF SUPERVISORS OF MADISON COUNTY, MISSISSIPPI ON THIS _____ DAY OF _____, 20_____.

Appendix 1

County Road Name: _____

Beginning Location: _____ Ending Location: _____

Length of Project: _____ Section: _____ Township: _____ Range: _____

Description of Work: _____

County Road Name: _____

Beginning Location: _____ Ending Location: _____

Length of Project: _____ Section: _____ Township: _____ Range: _____

Description of Work: _____

County Road Name: _____

Beginning Location: _____ Ending Location: _____

Length of Project: _____ Section: _____ Township: _____ Range: _____

Description of Work: _____

County Road Name: _____

Beginning Location: _____ Ending Location: _____

Length of Project: _____ Section: _____ Township: _____ Range: _____

Description of Work: _____

County Road Name: _____

Beginning Location: _____ Ending Location: _____


Length of Project: _____ Section: _____ Township: _____ Range: _____

Description of Work: _____



ASBUILT INFORMATION

FIELD ENGINEER: NAME: CHRIS DONALD
PROJECT MANAGER: NAME:
CONSTRUCTION: NAME:
SUB CONTRACTOR: NAME:
INSPECTOR: NAME:
PHONE#:
CONSTRUCTION COMMENCED: DATE:
CONSTRUCTION COMPLETED: DATE:
FIBER INSTALLED: DATE:
FINAL CLEANUP: DATE:



<<	PERMITS	>>
CITY:	MADISON	

SBI.OSP.64652
SBI - Madison Aesthetic and Family Medicine, LLC

SBI.OSP.64555
SBI - Empire Pharmaceuticals, LLC Madison

CS.OSFPMS-MADCTY.MS
PROPOSED FIBER BUILD
9-29-21



1018 HIGHLAND COLONY PARKWAY
SUITE 340
RIDGELAND, MISSISSIPPI 39157
1-800-342-3716

ROUTE MAP



SBI - Madison Aesthetic and Family Medicine, LLC SBI - Empire Pharmaceuticals, LLC Madison



CONSTRUCTION NOTES:

- ALL CONDUIT WILL BE 4" ID SCHEDULE 40 (ie. PVC OR BSP/GSP, MANUFACTURED SPLIT PVC OR SPLIT BSP/GSP), UNLESS SPECIFIED OTHERWISE.
- CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES 48 HOURS PRIOR TO CONSTRUCTION ACTIVITY. CALL ONE CALL SYSTEM @ 1-800-227-6477.
- ALL UNDERGROUND OBSTRUCTIONS, WHEN LOCATED, WILL REQUIRE THE PLACEMENT OF A BURIED CABLE MARKER AND THE PLACEMENT OF 4" MANUFACTURED SPLIT PVC, BSP/GSP OVER OR UNDER EACH OBSTRUCTION.
- SHORING MAY BE REQUIRED AND SHALL COMPLY TO O.S.H.A. STANDARDS.
- ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 60" MINIMUM COVER CROSSING ALL STATE AND OR COUNTY ROADS AND ALL CREEK BEDS UNLESS SPECIFIED OTHERWISE ON THE CONSTRUCTION DRAWINGS.
- MECHANICAL PROTECTION SHALL BE REQUIRED ANYTIME A 36" MINIMUM COVER IS UNOBTAINABLE UNLESS SPECIFIED OTHERWISE ON THE CONSTRUCTION DRAWINGS.
- ALL 90 DEGREE BENDS IN CONDUIT CONSTRUCTION WILL BE A MINIMUM 38.2" RADIUS UNLESS SPECIFIED OTHERWISE. ALL SPLIT CONDUIT BENDS AND SOLID PVC BENDS SHALL REQUIRE CONCRETE ENCASEMENT, UNLESS SPECIFIED OTHERWISE.
- OPERATIONS PERSONNEL TO BE CONTACTED BY THE CONTRACTOR 48 HOURS PRIOR TO CONSTRUCTION.
- ALL STATIONING IS BASED ON AS-BUILT INFORMATION, THEREFORE SOME VARIANCE SHOULD BE ANTICIPATED. ADJUST AS NEEDED.
- RAILROAD COMMUNICATION AND SIGNAL CABLES TO BE LOCATED PRIOR TO CONSTRUCTION ACTIVITY. RAILROAD TO BE GIVEN 48 HOURS NOTICE PRIOR TO CONSTRUCTION
- ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 24" MINIMUM BELOW THE LOWEST POINT OF EXISTING CITY UTILITY BEING CROSSED.
- ALL BURIED CONDUIT/CABLE WILL BE PLACED AT 48" MINIMUM BELOW ALL CITY & OR SURFACE STREET(S) WHERE NO UTILITY IS CROSSED.
- CONSTRUCTION CONTRACTOR SHALL PLACE MARKER POLES AT ALL H.H. LOCATIONS & AT EVERY MAJOR P.I. CONTRACTOR WILL PLACE MARKER POLES DURING THE CONSTRUCTION PHASE.

GENERAL NOTES:

- ALL WORK TO BE DONE WITH EXTREME CAUTION, FIBER OPTIC CABLE CARRYING TRAFFIC AND LOSS OF SERVICE WILL RESULT IN LOSS OF REVENUE.
- ALL WORK TO BE PERFORMED IN STRICT ACCORDANCE WITH THE APPLICABLE CODES OR REQUIREMENTS OF ANY REGULATING GOVERNMENTAL AGENCY, TELEPAK, OR THE RIGHT-OF-WAY GRANTOR.
- LOCATIONS OF SOME OF THE PHYSICAL FEATURES WERE OBTAINED FROM DATED RAILROAD EVALUATION MAPS OR OTHER DRAWINGS, AND MAY BE AS SHOWN OR DEPICTED ON THESE DRAWINGS.
- UNDERGROUND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE RECORDS AND FIELD OBSERVATIONS, BUT ARE NOT NECESSARILY EXACT. THEREFORE, UTILITY LOCATIONS WILL BE VERIFIED AT LEAST 100 FEET IN ADVANCE OF TRENCHING OR PLOWING, SO THAT CHANGES IN CABLE PLACEMENT CAN BE MADE IN EVENT OF CONFLICTS.
- ALL KNOWN BURIED OBSTRUCTIONS ARE SHOWN ON THE CONSTRUCTION DRAWINGS. ANY AND ALL OTHERS ENCOUNTERED ARE ALSO THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE, PROTECT, AND REPAIR, IF DAMAGED.
- ANY AND ALL IMPROVEMENTS, SUCH AS, ASPHALT OR CONCRETE PAVEMENT, CURBS, GUTTERS, WALKS, DRAINAGE DITCHES, EMBANKMENTS, SHRUBS, TREES, GRASS SOD, ETC., IF DAMAGED, SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION.
- EQUIPMENT TYPES SPECIFIED HEREIN (ie: "BACKHOE, "SWAMP PLOW", ETC.) ARE SUGGESTIONS ONLY AND ARE NOT INTENDED AS REQUIREMENTS. CONTRACTOR WILL BE NOTIFIED AS TO EXCEPTIONS.


TRAFFIC CONTROL NOTES:

ALL WORK SHALL COMPLY WITH THE UNIFORM TRAFFIC CONTROL MANUAL. (1998 EDITION OF MUTCD, REVISION 3) OR NEWER VERSIONS OF THIS MANUAL.

CLARIFICATION NOTES:

NOTE: CALLOUTS WILL BE PLACED ON EACH DRAWING INDICATING FOLLOWING:

- MATERIAL AMOUNT
- DEPTH IF BURIED
- SIZE OF FIBER
- SIZE OF HDPE
- SIZE OF STRAND
- CABLE ID



NOMENCLATURE

DEFINITION

SYMBOL

- | | | |
|---------------|---|------|
| 1. BM2-8 : | PLACEMENT OF EIGHT FOOT GROUND ROD OUTSIDE OF HAND HOLE SIX INCHES BELOW GROUND LEVEL WITH PLACEMENT OF GROUND WIRE WITH THE CONNECTOR. | |
| 2. BM53F : | PLACEMENT OF PLASTIC MARKER POLE, MINIMUM OF 30" IN GROUND AS INDICATED BY DRAWINGS. | |
| 3. BM53F(A) : | PLACEMENT OF LOCATE MARKER POST AND PLACEMENT OF WIRE INSIDE OF POST FROM GROUND ROD AND SPLICE CLOSURE TO BE TERMINATED IN POST FOR LOCATION OF FACILITIES AS INDICATED ON DRAWINGS. | |
| 4. BM72 : | RESTORATION OF ASPHALT PER SQ. FT. AS REQUIRED BY COMPANY REP. | NONE |
| 5. BM73 : | RESTORATION OF CONCRETE PER SQ. FT. AS REQUIRED BY COMPANY REP. | NONE |
| 6. UO-144 : | PLACEMENT OF 144 COUNT FIBER INTO INNER-DUCT, LEAVING SLACK IN HAND HOLES AS INDICATED ON DRAWINGS. PRICE PER PLACEMENT IS ON 'PER FOOT' BASIS. | NONE |
| 7. UO-24 : | PLACEMENT OF 24 COUNT FIBER INTO INNER-DUCT, LEAVING SLACK IN HAND HOLES AS INDICATED ON DRAWINGS. PRICE FOR PLACEMENT IS ON A 'PER FOOT' BASIS. | NONE |

FILE NAME T-01	
PROJECT CITY -	
FULL FILENAME T-01.dwg	
DATE	DESCRIPTION CONSTRUCTION
SHEET 1	DRAWN BY
SCALE 1"=50'	PAGE 1

REVISIONS			
REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST		
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY

PREPARED FOR

MAP NUMBER	


DISCLAIMER
 EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPiRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
 ONE CALL SYSTEM @ 1-800-227-6477

PLACEMENT-TYPICALS


TYPICAL DETAIL "A"

PLACE CONDUIT CROSS SECTION




TYPICAL DETAIL "B"


PLACE HDPE CROSS SECTION



TYPICAL DETAIL "C"
CONCRETE / PAVEMENT OPEN CUT CROSS SECTION




TYPICAL DETAIL "D"
ASPHALT/PAVEMENT OPEN CUT CROSS SECTION




OPEN CUT-TYPICALS


TYPICAL DETAIL "E"
BORE CONCRETE SIDEWALK




TYPICAL DETAIL "F"
CORE BORE
(CONCRETE / BRICK WALL)




TYPICAL DETAIL "G"
12"x12" CONCRETE ENCASUREMENT




TYPICAL DETAIL "H"
PLACE (2) 1.25" HDPE IN CONDUIT




TYPICAL DETAIL "I"
PLACE CABLE IN HDPE



TYPICAL DETAIL "J"
MANHOLE & HANDHOLE SLACK COIL DETAIL



TYPICAL DETAIL "K"
HANDHOLE INSTALLATION IN CONCRETE / ASPHALT CROSS SECTION



FILE NAME T-03

PROJECT CITY -

FULL FILENAME
T-03.dwg

DATE	DESCRIPTION CONSTRUCTION
------	-----------------------------

SHEET 3	DRAWN BY
------------	----------

SCALE 1"=50'	PAGE 3
-----------------	-----------

REVISIONS

REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST

ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY



PREPARED FOR




MAP NUMBER

3

DISCLAIMER

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.


NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM © 1-800-227-6477



TYPICAL EROSION DETAIL #1

NOTE TO CONSTRUCTION:


WHERE APPLICABLE
RE-COMPACT SOIL AROUND
HANDHOLES AND BOREPITS
USE HAY AND SEED COVER
FOR EROSION CONTROL.



TYPICAL EROSION DETAIL #2

NOTE TO CONSTRUCTION:


FOR HIGHER DEGREE OF SLOPE
RE-COMPACT SOIL AROUND
HANDHOLES AND BOREPITS. USE
HAY, SEED AND SILT FENCES FOR
EROSION CONTROL.



TYPICAL EROSION DETAIL #3

NOTE TO CONSTRUCTION:

FOR EROSION CONTROL IN
WELL MANICURED AREAS
RE-COMPACT SOIL AROUND
HANDHOLES AND BOREPITS.
RE-SOD TO MATCH EXISTING
GROUND COVER.



TYPICAL PAVEMENT REPAIR

DETAIL #4

NOTE TO CONSTRUCTION:

RE-COMPACT EFFECTED
AREAS WITH CRUSHED
STONE OR FLOW ABLE FILL.
MATCH EXISTING PAVEMENT
SURFACE.



FILE NAME T-07

PROJECT CITY -

FULL FILENAME
T-07.dwg

DATE CONSTRUCTION

SHEET 7 DRAWN BY

SCALE 1"=50' PAGE 7

REVISIONS

REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST

ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY



PREPARED FOR



MAP NUMBER

	7	
--	---	--

DISCLAIMER


EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM © 1-800-227-6477



SIDEWALK CUT & RESTORE TYPICAL DETAIL

SIDEWALK MUST BE ADA COMPLIANT WHERE APPLICABLE

TYPICAL DETAIL "A" CONCRETE CUT & RESTORE REPLACEMENT



TYPICAL DETAIL "B" HANDHOLE INSTALLATION IN CONCRETE SIDEWALK



AT EVERY HANDHOLE LOCATION WITH TEST WIRE IN A SIDEWALK, IF APPLICABLE, INSTALL A FLUSH MOUNT HARD WATER BOX. RESTORE CONCRETE TO ORIGINAL FINISH & COLOR

CONSTRUCTION NOTES:

1. PROVIDE BARRIERS AND TRAFFIC CONTROL PER MUTCD REV.3 OR NEWER.
2. CUT & RESTORE AREAS SHALL BE RETURNED TO ORIGINAL, OR BETTER CONDITION.
3. SIDEWALKS THAT HAVE EXPANSION BOARD IN USE IN ADJACENT AREAS SHALL BE RESTORED WITH EXPANSION BOARD.
4. EXPOSED AGGREGATE FINISHED SIDEWALKS SHALL BE RESTORED WITH SAME FINISH.
5. ENSURE FINISH IS SLIP RESISTANT.
6. BRICK SIDEWALKS SHALL BE RESTORED TO THE SAME FINISH.
7. ENSURE FLUSH MOUNT TEST STATIONS DO NOT PRESENT A TRIP HAZARD.
8. COVER CONCRETE FOR A MINIMUM OF 12 HOURS PRIOR TO REMOVING PEDESTRIAN BARRIERS.
9. RESTORATION AREA MUST BE RESTORED TO AN OPERATIONAL SIDEWALK PRIOR TO CLOSING ANY CONSTRUCTION PERMITS.



FILE NAME T-09

PROJECT CITY -

FULL FILENAME
T-09.dwg

DATE _____ DESCRIPTION
CONSTRUCTION

SHEET 9 DRAWN BY _____

SCALE 1"=50' PAGE 9

REVISIONS

REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST

ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	0'
2	DIR-BORE CABLE	0'
3	PULL CABLE	0'
4	BURIED SLACK	0'
5	1.25" HDPE	0'
6	5" HDPE CASING	0'
7	HANDHOLES	0
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY



PREPARED FOR



MAP NUMBER

	9	

DISCLAIMER

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPiRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM © 1-800-227-6477

Job Reference: Madison County\Madison\1085
Gluckstadt Rd\Lockett Land and Title (SBI)



FILE NAME	LLT-001		
PROJECT CITY -	MADISON, MS		
FULL FILENAME	LLT-001.dwg		
DATE	12-17-18	DESCRIPTION	CONSTRUCTION
SHEET	001	DRAWN BY	D.SANDERS
SCALE	1"=50'	PAGE	001

REVISIONS			
REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST		
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	1181'
2	DIR-BORE CABLE	781'
3	PULL CABLE	0'
4	BURIED SLACK	400'
5	1.25" HDPE	1562'
6	5" HDPE CASING	0'
7	HANDHOLES	4
8	MANHOLES	0
9	SPLICE CLOSURE	3
10	H-POSTS	0
11	GROUND RODS	4
12	AERIAL CABLE	0'
13	RISERS	0
14		



PREPARED BY

PREPARED FOR

MAP NUMBER	
001	002

DISCLAIMER
EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

SEE SHEET 001 TO MATCH SURVEY STA. 4+00





3+61
PLACE UH-4 HANDHOLE
E/W (1) 96 CT F.O.C.
PLACE 100' SLACK

0+00
PLACE 50' SLACK COIL
OF 96 CT F.O.C.

0+00-4+00
DIRECTIONAL BORE 400'
48" MINIMUM DEPTH
(2) 1.25" HDPE
PULL CABLE 400'
(1) 96 CT. F.O.C.

- 0+00 EXIST. TMI HH
- 0+12 CABLE PI
- 0+19 WATER VALVE 1'0"/C
- 0+20 CURB INLET 9'0"/C
- 0+75 BACK OF CURB
- 1+12 BACK OF CURB
- 1+58 SIGN 4'0"/C
- 1+69 HANDHOLE 10'0"/C
- 1+84 CURB INLET 8'0"/C
- 1+89 METER 5'0"/C
- 2+05 BACK OF CURB
- 2+36 BACK OF CURB
- 2+38 HANDHOLE 7'0"/C
- 2+88 SIGN 7'0"/C
- 3+15 STREET LIGHT 10'0"/C
- 3+17 CURB INLET 9'0"/C
- 3+26 METER
- 3+27 MAILBOX 6'0"/C
- 3+28 BACK OF CURB
- 3+51 BACK OF CURB
- 3+61 PROP. TMI HH
- 3+65 PEDESTAL 1'0"/C
- 3+67 PEDESTAL



SEE SHEET 001 TO MATCH SURVEY STA. 4+00

SEE SHEET 003 TO MATCH SURVEY STA. 9+00

4+00-9+00
DIRECTIONAL BORE 500'
48" MINIMUM DEPTH
(2) 1.25" HDPE
PULL CABLE 500'
(1) 96 CT. F.O.C.

6+55
PLACE UH-4 HANDHOLE
E/W (1) 96 CT F.O.C.
PLACE 100' SLACK

8+32
PLACE UH-4 HANDHOLE
E/W (1) 96 CT F.O.C.
PLACE 100' SLACK

6+55
MADE-A-WA
UH-4
PASS THRU
100' SLACK LOOP

8+32
MADE-A-W5
UH-4
PASS THRU
100' SLACK LOOP

- 4+85 CURB INLET 11'0"/C
- 5+09 HANDHOLE 5'0"/C
- 5+11 PROPERTY PIN
- 5+17 BACK OF CURB
- 5+51 BACK OF CURB
- 5+61 STORM GRATE 4'0"/C
- 5+79 SIGN 10'0"/C
- 6+34 CURB INLET 10'0"/C
- 6+40 POWER POLE 10'0"/C
- 6+55 PROP. TMI HH
- 6+87 BACK OF CURB
- 7+40 BACK OF CURB
- 7+75 HANDHOLE 12'0"/C
- 8+15 GAS VALVE 15'0"/C
- 8+23 BACK OF CURB
- 8+32 PROP. TMI HH

FILE NAME	MAF-002	
PROJECT CITY -	MADISON, MS	
FULL FILENAME	MAF-002.dwg	
DATE	09-29-21	DESCRIPTION CONSTRUCTION
SHEET	002	DRAWN BY D.SANDERS
SCALE	1"=50'	PAGE 002

REVISIONS			
REV.	DESCRIPTION	INITIALS	DATE


MATERIAL LIST		
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	700'
2	DIR-BORE CABLE	500'
3	PULL CABLE	0'
4	BURIED SLACK	200'
5	1.25" HDPE	1000'
6	5" HDPE CASING	0'
7	HANDHOLES	2
8	MANHOLES	0
9	SPLICE CLOSURE	0
10	H-POSTS	0
11	GROUND RODS	0
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY




PREPARED FOR

MAP NUMBER		
001	002	003

DISCLAIMER
EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPIRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.



SEE SHEET 002 TO MATCH SURVEY STA. 9+00



Empire Pharmaceuticals, LLC
Gluckstadt Rd Suite D
Madison, MS 39110
Job #: SBI.OSP.64555
Contact: Jim Yawn 601-790-2366

Madison Aesthetic and Family Medicine, LLC
1040 Gluckstadt Rd B
Madison MS, 39110
Job#: SBI.OSP.64652
Contact: William Whitton 601-605-0452

FILE NAME	MAF-003		
PROJECT CITY -	MADISON, MS		
FULL FILENAME	MAF-003.dwg		
DATE	09-30-21	DESCRIPTION	CONSTRUCTION
SHEET	003	DRAWN BY	D.SANDERS
SCALE	1"=50'	PAGE	003

REVISIONS			
REV.	DESCRIPTION	INITIALS	DATE

MATERIAL LIST		
ITEM	DESCRIPTION	QUANTITY
1	TOTAL CABLE FT.	1432'
2	DIR-BORE CABLE	872'
3	PULL CABLE	0'
4	BURIED SLACK	560'
5	1.25" HDPE	1744'
6	5" HDPE CASING	0'
7	HANDHOLES	4
8	MANHOLES	0
9	SPLICE CLOSURE	2
10	H-POSTS	0
11	GROUND RODS	4
12	AERIAL CABLE	0'
13	RISERS	0
14		

PREPARED BY

PREPARED FOR

MAP NUMBER	
002	003

DISCLAIMER
EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT, THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CSPiRE FIBER. BEING ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, OR USED FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN PERMISSION.

NOTIFY ALL UTILITIES 72 HOURS PRIOR TO CONSTRUCTION ACTIVITY.
ONE CALL SYSTEM © 1-800-227-6477

