

Department of Engineering
Tim Bryan, P.E., County Engineer

3137 South Liberty Street, Canton, MS 39046
Office (601) 790-2525 FAX (601) 859-3430

MEMORANDUM

May 15, 2023

To: Sheila Jones, Supervisor, District I
Trey Baxter, Supervisor, District II
Gerald Steen, Supervisor, District III
Karl Banks, Supervisor, District IV
Paul Griffin, Supervisor, District V

From: Tim Bryan, P.E., PTOE
County Engineer

Re: Comcast Cable Utility Permit
County Road Name, Loring Road Exd., Tucker Road and Rocky Hill Road

The Engineering Department recommends approval of the permit application for Comcast Cable is attaching 24 CT and 48 CT fiber to existing poles, boring and installing 2" HDPE to pull 48 CT and 24 CT fiber within the right-of-way owned by the County including the listed roads below.

- Loring Road Exd.
- Tucker Road
- Rocky Hill Road

Revised: 2/14/2019



PERMIT APPLICATION FOR THE CONSTRUCTION OR ADJUSTMENT OF A UTILITY WITHIN COUNTY ROAD RIGHT-OF-WAY

Utility Information: Utility Name: COMCAST CABLE

Address: 3425 Malone Drive City/State/Zip: Chamblee/ GA/ 30-341

Contact Person: Linda Taibl Contact's Phone: _____

Project Information: County Road Name: Loring Rd Exd, Tucker Rd, Rocky Hill Rd

(If located within more than one road right-of-way, use Appendix 1 for additional descriptions)

Beginning Location: 32.78889, -89.93428 Ending Location: 32.77451, -89.89116

Length of Project: 10738FT Section: 34 Township: 3 Range: 69

Description of Work: COMCAST IS ATTACHING 24CT AND 48CT FIBER TO EXISTING POLES, BORING AND INSTALLING 2" HDPE TO PULL 48CT AND 24CT FIBER WITHIN THE RIGHT-OF-WAY OWNED BY THE COUNTY.

TOTAL INSTALLATION LENGTH IN ROW: 10738FT

Check Box if Appendix 1 is to be included as a part of this Application

Whereas the above stated Utility makes application to the **Madison County Board of Supervisors** for a Construction Permit. Attached hereto are drawings and plans for the construction of the above facilities located within Madison County owned public rights-of-way. Once stamped by the Madison County Engineering Department, these plans shall not be changed or altered without written approval of the County Engineer, or his representative. A copy of the approved permit and plans shall be on-site at all times during construction.

The Applicant Utility shall comply with all policies, procedures and construction practices as outlined in *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads* (hereinafter referred to as the "Policy"), as adopted on November 1, 2005, by the **Madison County Board of Supervisors**, and which is hereby made a part of this Application Agreement.

If facilities are to be located within the Rights-of-Way of the County-Federal or State Aid System, Applicant Utility also agrees to comply with applicable provisions of *S.O.P. No. SA II-2-8, Accommodation of Utilities on Rights-of-Way*, issued by the State Aid Engineer and dated July 1, 2005.

The Applicant Utility understands and agrees that, except as herein granted, no right, title, claim, or easement to said road right-of-way is granted by the issuance of this permit. If this Utility is listed in the general provisions of the Policy, it will be adjusted to comply with same without cost to the County, unless the variance from the Policy has been approved by the granting of the Permit pursuant to this Application.

The Applicant Utility further understands that the Utility's engineering, plant, or other personnel will be responsible for the staking and construction supervision of the work set out above and as shown on the attached plans. If work impacts traffic in any way, the appropriate traffic control shall be installed per the *Manual of Uniform Traffic Control Devices*, Latest Edition.

The Applicant Utility understands that the County Engineer, or his representative, may issue a Stop Work Order at any time if it is deemed that site conditions are not suitable for construction or if any of the requirements of this permit are not being met.

Many County Roads have variable Rights-of-Way and/or no Right-of-Way at all and are maintained under a Prescriptive Easement. It is the sole responsibility of the Applicant Utility to verify the existence and limits of public rights-of-way. If none exists, it is the

responsibility of the Applicant Utility to acquire an easement for their Facilities from the applicable property owner(s). **Madison County in no way verifies the limits of Right-of-Way as shown on the permit application.**

The Applicant Utility shall be responsible for all future maintenance and repair of the facilities installed under this permit. The Applicant Utility shall make future adjustments to, or relocate, the facilities located within road or highway right-of-way when required for road or highway widening or other road or highway construction at no cost to Madison County. The Applicant Utility shall relocate said utilities within sixty (60) days of notification by County by registered mail, return receipt requested, unless otherwise designated by the County Engineer. Further, any maintenance, repair, or construction shall be done in such a manner as to occasion no unreasonable interference with the normal flow and safety to traffic and at the expense of the utility company. When reasonable care has been taken to locate said utility facilities within the right-of-way, the Applicant Utility understands that any damages caused by routine maintenance and construction by County forces shall be borne by the Applicant Utility.

The Applicant Utility further agrees to indemnify and hold Madison County harmless for any and all claims, accidents, damages, liabilities and expenses occasioned wholly, or in part, by any act or omission of applicant, its agents or employees. In case County shall, without fault on its own part, be made a party to any litigation commenced by or against applicant, then applicant shall protect and hold County harmless, and shall pay all costs, expenses and reasonable attorney's fees incurred or paid by County in connection with said litigation.

All underground facilities shall be installed at a depth equal to or greater than 48" below the lowest adjacent grade.

All pipes carrying liquid shall be encased under County maintained roads.

WITNESS the signature of the Applicant this the 20 day of 04, 2023.

By: Linda Taibl
(Applicant Signature)

Title: Construction specialist

Note: *Applicant must be an employee of the Utility named in this application. The Madison County Board of Supervisors will not recognize a Contractor, Subcontractor, Agent, or Consulting Engineer as the Applicant. Utility Company shall be fully responsible for all work performed under this application.*

I, or my authorized representative, have reviewed this application and determined that the drawing, sketches, and plans submitted by the Applicant meet the requirements of *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads.*

APPROVED

By timothy.bryan at 2:14 pm, May 25, 2023

By: Tim Bryan, P.E.
County Engineer

AGREED TO AND APPROVED BY:

Madison County Board President

Date: _____

ENTERED INTO THE MINUTES OF THE BOARD OF SUPERVISORS OF MADISON COUNTY, MISSISSIPPI ON THIS _____ DAY OF _____, 20_____.

Appendix 1

County Road Name: Loring Rd Exd
Beginning Location: 32.780657, -89.933060 Ending Location: 32.77451, -89.89116
Length of Project: 5999FT Section: 34 Township: 3 Range: 69
Description of Work: ATTACH NEW 24CT AND 48CT FIBER TO EXISTING POLES, BORE AND INSTALL 2" HDPE TO PULL NEW 24CT AND 48CT FIBER WITHIN THE LORING RD EXD RIGHT-OF WAY.


County Road Name: Tucker Rd
Beginning Location: 32.78889, -89.93428 Ending Location: 32.780686, -89.930341
Length of Project: 4169FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER WITHIN THE TUCKER RD RIGHT-OF-WAY.

County Road Name: Rocky Hill Rd
Beginning Location: 32.778159, -89.908714 Ending Location: 32.779493, -89.908631
Length of Project: 570FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER WITHIN THE ROCKY HILL RD RIGHT-OF-WAY.

County Road Name: _____
Beginning Location: _____ Ending Location: _____
Length of Project: _____ Section: _____ Township: _____ Range: _____
Description of Work: _____

County Road Name: _____
Beginning Location: _____ Ending Location: _____
Length of Project: _____ Section: _____ Township: _____ Range: _____
Description of Work: _____

BEGIN OF THE PROJECT
32.78889, -89.93428




END OF THE PROJECT
32.77451, -89.89116

PREPARED BY:

COMCAST IS ATTACHING FIBER TO EXISTING
POLES, BORING AND INSTALLING NEW CONDUIT WITHIN
THE RIGHT-OF-WAY OWNED BY THE COUNTY.
TOTAL: 10738 ft




QUASAR, INC.



ENGINEERED FOR:




NO SCALE



PREPARED BY:

COMCAST IS ATTACHING FIBER TO EXISTING
 POLES, BORING AND INSTALLING NEW CONDUIT WITHIN
 THE RIGHT-OF-WAY OWNED BY THE COUNTY.
 TOTAL: 10738 ft

ENGINEERED FOR:




NO SCALE

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 670 FT



NO MATCH SHEET


MATCH SHEET 2

NO MATCH SHEET

PREPARED BY: 	<table border="0"> <tr> <td>✘ EXISTING POLE</td> <td>----- RIGHT OF WAY LINE</td> <td>--- PROPOSED COAXIAL CABLE</td> </tr> <tr> <td>□ PROPOSED PEDESTAL</td> <td>----- IRRIGATION LINE</td> <td>--- PROPOSED FIBER CABLE</td> </tr> <tr> <td>▣ PROPOSED VAULT</td> <td>----- WATER LANE</td> <td>--- PROPOSED DIRECTIONAL BORE</td> </tr> <tr> <td>⊕ WATER VALVE</td> <td>----- GAS LANE</td> <td>--- EXISTING CABLE</td> </tr> <tr> <td>⊕ FIBER MARKER</td> <td>----- PROPOSED ANCHOR</td> <td></td> </tr> <tr> <td>⊕ GAS MARKER</td> <td>Ⓜ PROPOSED RISER</td> <td></td> </tr> <tr> <td>⊕ MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>⊕ SEWER MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>⊕ STORM DRAIN</td> <td></td> <td></td> </tr> </table> <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p>	✘ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE	□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE	▣ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE	⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE	⊕ FIBER MARKER	----- PROPOSED ANCHOR		⊕ GAS MARKER	Ⓜ PROPOSED RISER		⊕ MANHOLE			⊕ SEWER MANHOLE			⊕ STORM DRAIN				ENGINEERED FOR: 	MADISON COUNTY TUCKER RD TRANSPORT FIBER NO SCALE SHEET 1 OF 23
✘ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE																													
□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE																													
▣ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE																													
⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE																													
⊕ FIBER MARKER	----- PROPOSED ANCHOR																														
⊕ GAS MARKER	Ⓜ PROPOSED RISER																														
⊕ MANHOLE																															
⊕ SEWER MANHOLE																															
⊕ STORM DRAIN																															
NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED																															

NO MATCH SHEET

MATCH SHEET 1



NO MATCH SHEET


MATCH SHEET 3

<p>PREPARED BY:</p>	<p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p>	<p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p>		<p>ENGINEERED FOR:</p> <p>MADISON COUNTY</p> <p>TUCKER RD</p> <p>TRANSPORT FIBER</p>
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p>			<p>NO SCALE</p> <p>SHEET 2 OF 23</p>

MATCH SHEET 2

PROPOSED COMCAST UNDERGROUND
DIRECTIONAL BORE
4' MINIMUM DEPTH AT ALL POINTS
1 24CT FIBER CABLE
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 870 FT



NO MATCH SHEET

NO MATCH SHEET


MATCH SHEET 4

PREPARED BY: 	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY TUCKER RD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 3 OF 23	

MATCH SHEET 3

PROPOSED COMCAST UNDERGROUND
DIRECTIONAL BORE
4' MINIMUM DEPTH AT ALL POINTS
1 24CT FIBER CABLE
NO OTHER BURIED UTILITIES EXIST




INSTALLATION LENGTH IN RW ON THIS SHEET 885 FT



NO MATCH SHEET

NO MATCH SHEET

MATCH SHEET 5

<p>PREPARED BY:</p> 	<p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p>	<p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p>		<p>ENGINEERED FOR:</p> 	<p>MADISON COUNTY</p> <p>TUCKER RD</p> <p>TRANSPORT FIBER</p>
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p>	<p>NO SCALE</p> <p>SHEET 4 OF 23</p>			


NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
18' MINIMUM HEIGHT AT ALL POINTS
1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 0 FT

NO MATCH SHEET

MATCH SHEET 6




NO MATCH SHEET

<p>PREPARED BY:</p>	<p> ✕ ✕ ✕ ✕ EXISTING POLE □ PROPOSED PEDESTAL ▽ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER </p>	<p> PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE </p>		<p>ENGINEERED FOR:</p> <p style="text-align: center;"></p>	<p>MADISON COUNTY</p> <p>LORING RD EXD</p> <p>TRANSPORT FIBER</p>
	<p> LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY </p>	<p> NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED </p>			<p>NO SCALE SHEET 5 OF 23</p>

MATCH SHEET 5


PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 510 FT



MATCH SHEET 5

MATCH SHEET 7



NO MATCH SHEET


PREPARED BY: 	<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ⋈ PROPOSED ANCHOR Ⓜ PROPOSED RISER 	<ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD, TUCKER RD TRANSPORT FIBER	
LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY				NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED		NO SCALE	SHEET 6 OF 23

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 0 FT

MATCH SHEET 6



MATCH SHEET 8


NO MATCH SHEET

PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 7 OF 23	


NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 62 FT

MATCH SHEET 7



MATCH SHEET 9



NO MATCH SHEET


PREPARED BY: 	<table border="0"> <tr> <td> <ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </td> <td> <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR ----- PROPOSED RISER </td> <td> <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE </td> </tr> </table>	<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR ----- PROPOSED RISER 	<ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER NO SCALE SHEET 8 OF 23
<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR ----- PROPOSED RISER 	<ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE 					
LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY			NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED				

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 0 FT

MATCH SHEET 8



MATCH SHEET 10

NO MATCH SHEET


PREPARED BY: 	<table border="0"> <tr> <td> <ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </td> <td> <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER </td> <td> <ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE </td> </tr> </table>	<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER 	<ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER 	<ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE 					
LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY		NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED		NO SCALE SHEET 9 OF 23			

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 4 FT

MATCH SHEET 9



MATCH SHEET 11

NO MATCH SHEET


PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 10 OF 23	

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 10 FT

MATCH SHEET 10



MATCH SHEET 12

NO MATCH SHEET


PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 11 OF 23	

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 0 FT

MATCH SHEET 11



MATCH SHEET 13

NO MATCH SHEET

PREPARED BY: 	<table border="0"> <tr> <td>✕ ✕ ✕ ✕ EXISTING POLE</td> <td>----- RIGHT OF WAY LINE</td> <td>--- PROPOSED COAXIAL CABLE</td> </tr> <tr> <td>□ PROPOSED PEDESTAL</td> <td>----- IRRIGATION LINE</td> <td>--- PROPOSED FIBER CABLE</td> </tr> <tr> <td>▢ PROPOSED VAULT</td> <td>----- WATER LANE</td> <td>--- PROPOSED DIRECTIONAL BORE</td> </tr> <tr> <td>⊕ WATER VALVE</td> <td>----- GAS LANE</td> <td>--- EXISTING CABLE</td> </tr> <tr> <td>⊙ FIBER MARKER</td> <td>⋈ PROPOSED ANCHOR</td> <td></td> </tr> <tr> <td>⊙ GAS MARKER</td> <td>Ⓜ 25 PROPOSED RISER</td> <td></td> </tr> <tr> <td>⊙ MH MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>⊙ SM SEWER MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>⊙ SD STORM DRAIN</td> <td></td> <td></td> </tr> </table> <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p>	✕ ✕ ✕ ✕ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE	□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE	▢ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE	⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE	⊙ FIBER MARKER	⋈ PROPOSED ANCHOR		⊙ GAS MARKER	Ⓜ 25 PROPOSED RISER		⊙ MH MANHOLE			⊙ SM SEWER MANHOLE			⊙ SD STORM DRAIN				ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER NO SCALE SHEET 12 OF 23
✕ ✕ ✕ ✕ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE																													
□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE																													
▢ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE																													
⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE																													
⊙ FIBER MARKER	⋈ PROPOSED ANCHOR																														
⊙ GAS MARKER	Ⓜ 25 PROPOSED RISER																														
⊙ MH MANHOLE																															
⊙ SM SEWER MANHOLE																															
⊙ SD STORM DRAIN																															
NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED																															


NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
18' MINIMUM HEIGHT AT ALL POINTS
1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 0 FT

MATCH SHEET 12

MATCH SHEET 14



NO MATCH SHEET


<p>PREPARED BY:</p>	<p> ✕ ✕ ✕ ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </p>	<p> --- RIGHT OF WAY LINE --- IRRIGATION LINE --- WATER LANE --- GAS LANE ⊗ PROPOSED ANCHOR ⊕ PROPOSED RISER </p>	<p> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE </p>		<p>ENGINEERED FOR:</p> <p style="text-align: center;"></p>	<p>MADISON COUNTY</p> <p>LORING RD EXD</p> <p>TRANSPORT FIBER</p>
	<p> LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY </p>	<p> NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED </p>	<p>NO SCALE</p>	<p>SHEET 13 OF 23</p>		

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 700 FT

MATCH SHEET 13




MATCH SHEET 15

NO MATCH SHEET

PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 14 OF 23	




PROPOSED COMCAST UNDERGROUND
DIRECTIONAL BORE
4' MINIMUM DEPTH AT ALL POINTS
1 48CT FIBER CABLE
1 24CT FIBER CABLE
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 1192 FT



MATCH SHEET 14

MATCH SHEET 16





<p>PREPARED BY:</p>	<p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p>	<p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p>		<p>ENGINEERED FOR:</p> <p>MADISON COUNTY</p> <p>LORING RD EXD, ROCKY HILL RD</p> <p>TRANSPORT FIBER</p>
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p>			<p>NO SCALE</p> <p>SHEET 15 OF 23</p>

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 577 FT

MATCH SHEET 15

MATCH SHEET 17



NO MATCH SHEET

PREPARED BY: 	<ul style="list-style-type: none"> ✗ EXISTING POLE □ PROPOSED PEDESTAL ▽ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR ----- PROPOSED RISER 	<ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER	
		LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY		NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED		NO SCALE	SHEET 16 OF 23


NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
18' MINIMUM HEIGHT AT ALL POINTS
1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 39 FT

MATCH SHEET 16

MATCH SHEET 18



NO MATCH SHEET


<p>PREPARED BY:</p>	<p> ✕ ✕ ✕ ✕ EXISTING POLE P PROPOSED PEDESTAL V PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </p>	<p> RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE ✕ PROPOSED ANCHOR R 25 PROPOSED RISER </p>	<p> PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE </p>		<p>ENGINEERED FOR:</p> <p style="text-align: center;"></p>	<p>MADISON COUNTY</p> <p>LORING RD EXD</p> <p>TRANSPORT FIBER</p>			
	<p> LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY </p>			<p> NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED </p>				<p>NO SCALE</p>	<p>SHEET 17 OF 23</p>

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 837 FT

MATCH SHEET 17



MATCH SHEET 19

NO MATCH SHEET


PREPARED BY: 	<table border="0"> <tr> <td style="vertical-align: top;"> <ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </td> <td style="vertical-align: top;"> <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER </td> <td style="vertical-align: top;"> <ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE </td> </tr> </table>	<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER 	<ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER NO SCALE SHEET 18 OF 23
<ul style="list-style-type: none"> ✕ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE PROPOSED ANCHOR PROPOSED RISER 	<ul style="list-style-type: none"> --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE 					
LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY			NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED				

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 419 FT

MATCH SHEET 18



MATCH SHEET 20


NO MATCH SHEET

PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 19 OF 23	

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 623 FT

MATCH SHEET 19



MATCH SHEET 21

NO MATCH SHEET


PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 20 OF 23	

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 720 FT

MATCH SHEET 20



MATCH SHEET 22


NO MATCH SHEET

PREPARED BY: 	<ul style="list-style-type: none"> ✘ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN 	<ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR ----- PROPOSED RISER <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p>	<ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE 		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER	
NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED						NO SCALE	SHEET 21 OF 23

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 814 FT

MATCH SHEET 21



MATCH SHEET 23

NO MATCH SHEET


PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 22 OF 23	

NO MATCH SHEET

PROPOSED COMCAST NEW ATTACHMENT
 18' MINIMUM HEIGHT AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 509 FT
 TOTAL INSTALLATION LENGTH 10738 FT
 AERIAL: 2620 FT
 UG: 8118 FT
 START 32.78889, -89.93428
 END 32.77451, -89.89116

MATCH SHEET 22



NO MATCH SHEET

NO MATCH SHEET

PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE		ENGINEERED FOR: 	MADISON COUNTY LORING RD EXD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 23 OF 23	