

Department of Engineering  
Tim Bryan, P.E., County Engineer

3137 South Liberty Street, Canton, MS 39046  
Office (601) 790-2525 FAX (601) 859-3430

**MEMORANDUM**

July 11, 2023

To: Sheila Jones, Supervisor, District I  
Trey Baxter, Supervisor, District II  
Gerald Steen, Supervisor, District III  
Karl Banks, Supervisor, District IV  
Paul Griffin, Supervisor, District V

From: Tim Bryan, P.E., PTOE  
County Engineer

Re: Comcast Cable Utility Permit  
County Road Name, Dry Creek Road and Sharon Road

The Engineering Department recommends approval of the permit application for Comcast Cable is attaching 24 CT and 48 CT fiber to existing poles, boring and installing 2" HDPE to pull 48 CT and 24 CT fiber within the right-of-way owned by the County including the listed roads below.

- Dry Creek Road
- And Sharon Road



**PERMIT APPLICATION FOR THE CONSTRUCTION OR ADJUSTMENT OF A UTILITY WITHIN COUNTY ROAD RIGHT-OF-WAY**

Utility Information: Utility Name: COMCAST CABLE

Address: 3425 Malone Drive City/State/Zip: Chamblee/ GA/ 30-341

Contact Person: Linda Taibl Contact's Phone: \_\_\_\_\_

Project Information: County Road Name: Dry Creek Rd, Sharon Rd, Roberts Rd

(If located within more than one road right-of-way, use Appendix 1 for additional descriptions)

Beginning Location: 32.690135, -89.935854 Ending Location: 32.645609, -89.935643

Length of Project: 18314FT Section: 34 Township: 3 Range: 69

Description of Work: COMCAST IS ATTACHING 24CT AND 48CT FIBER TO EXISTING POLES, BORING AND INSTALLING 2" HDPE TO PULL 48CT AND 24CT FIBER WITHIN THE RIGHT-OF-WAY OWNED BY THE COUNTY.

**TOTAL INSTALLATION LENGTH IN ROW: 18314FT**

Check Box if Appendix 1 is to be included as a part of this Application

Whereas the above stated Utility makes application to the **Madison County Board of Supervisors** for a Construction Permit. Attached hereto are drawings and plans for the construction of the above facilities located within Madison County owned public rights-of-way. Once stamped by the Madison County Engineering Department, these plans shall not be changed or altered without written approval of the County Engineer, or his representative. A copy of the approved permit and plans shall be on-site at all times during construction.

The Applicant Utility shall comply with all policies, procedures and construction practices as outlined in *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads* (hereinafter referred to as the "Policy"), as adopted on November 1, 2005, by the **Madison County Board of Supervisors**, and which is hereby made a part of this Application Agreement.

If facilities are to be located within the Rights-of-Way of the County-Federal or State Aid System, Applicant Utility also agrees to comply with applicable provisions of *S.O.P. No. SA II-2-8, Accommodation of Utilities on Rights-of-Way*, issued by the State Aid Engineer and dated July 1, 2005.

The Applicant Utility understands and agrees that, except as herein granted, no right, title, claim, or easement to said road right-of-way is granted by the issuance of this permit. If this Utility is listed in the general provisions of the Policy, it will be adjusted to comply with same without cost to the County, unless the variance from the Policy has been approved by the granting of the Permit pursuant to this Application.

The Applicant Utility further understands that the Utility's engineering, plant, or other personnel will be responsible for the staking and construction supervision of the work set out above and as shown on the attached plans. If work impacts traffic in any way, the appropriate traffic control shall be installed per the *Manual of Uniform Traffic Control Devices*, Latest Edition.

The Applicant Utility understands that the County Engineer, or his representative, may issue a Stop Work Order at any time if it is deemed that site conditions are not suitable for construction or if any of the requirements of this permit are not being met.

Many County Roads have variable Rights-of-Way and/or no Right-of-Way at all and are maintained under a Prescriptive Easement. It is the sole responsibility of the Applicant Utility to verify the existence and limits of public rights-of-way. If none exists, it is the

responsibility of the Applicant Utility to acquire an easement for their Facilities from the applicable property owner(s). Madison County in no way verifies the limits of Right-of-Way as shown on the permit application.

The Applicant Utility shall be responsible for all future maintenance and repair of the facilities installed under this permit. The Applicant Utility shall make future adjustments to, or relocate, the facilities located within road or highway right-of-way when required for road or highway widening or other road or highway construction at no cost to Madison County. The Applicant Utility shall relocate said utilities within sixty (60) days of notification by County by registered mail, return receipt requested, unless otherwise designated by the County Engineer. Further, any maintenance, repair, or construction shall be done in such a manner as to occasion no unreasonable interference with the normal flow and safety to traffic and at the expense of the utility company. When reasonable care has been taken to locate said utility facilities within the right-of-way, the Applicant Utility understands that any damages caused by routine maintenance and construction by County forces shall be borne by the Applicant Utility.

The Applicant Utility further agrees to indemnify and hold Madison County harmless for any and all claims, accidents, damages, liabilities and expenses occasioned wholly, or in part, by any act or omission of applicant, its agents or employees. In case County shall, without fault on its own part, be made a party to any litigation commenced by or against applicant, then applicant shall protect and hold County harmless, and shall pay all costs, expenses and reasonable attorney's fees incurred or paid by County in connection with said litigation.

All underground facilities shall be installed at a depth equal to or greater than 48" below the lowest adjacent grade.

All pipes carrying liquid shall be encased under County maintained roads.

WITNESS the signature of the Applicant this the 25 day of 04, 2023.

By: Linda Taibl  
(Applicant Signature)

Title: Construction specialist

**Note:** *Applicant must be an employee of the Utility named in this application. The Madison County Board of Supervisors will not recognize a Contractor, Subcontractor, Agent, or Consulting Engineer as the Applicant. Utility Company shall be fully responsible for all work performed under this application.*

I, or my authorized representative, have reviewed this application and determined that the drawing, sketches, and plans submitted by the Applicant meet the requirements of *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads.*

**APPROVED**  
By *timothy.bryan at 10:18 am, Jul 12, 2023*

Tim Bryan, P.E.  
County Engineer

AGREED TO AND APPROVED BY:

\_\_\_\_\_  
Madison County Board President

Date: \_\_\_\_\_

ENTERED INTO THE MINUTES OF THE BOARD OF SUPERVISORS OF MADISON COUNTY, MISSISSIPPI ON THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 20\_\_\_\_\_.

Appendix 1

County Road Name: Dry Creek Rd  
Beginning Location: 32.690135, -89.935854 Ending Location: 32.689975, -89.935765  
Length of Project: 30FT Section: 34 Township: 3 Range: 69  
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 48CT FIBER WITHIN THE DRY CREEK RD RIGHT-OF-WAY.

County Road Name: Sharon Rd  
Beginning Location: 32.689909, -89.935856 Ending Location: 32.645609, -89.935643  
Length of Project: 15426FT Section: 34 Township: 3 Range: 69  
Description of Work: ATTACH NEW 24CT AND 48CT FIBER TO EXISTING POLES, BORE AND INSTALL 2" HDPE TO PULL NEW 24CT AND 48CT FIBER WITHIN SHARON RD RIGHT-OF WAY.


County Road Name: Roberts Rd  
Beginning Location: 32.676610, -89.943264 Ending Location: 32.672687, -89.936478  
Length of Project: 2858FT Section: 34 Township: 3 Range: 69  
Description of Work: ATTACH NEW 24CT FIBER TO EXISTING POLES, BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER WITHIN ROBERTD RD RIGHT-OF WAY.

County Road Name: \_\_\_\_\_  
Beginning Location: \_\_\_\_\_ Ending Location: \_\_\_\_\_  
Length of Project: \_\_\_\_\_ Section: \_\_\_\_\_ Township: \_\_\_\_\_ Range: \_\_\_\_\_  
Description of Work: \_\_\_\_\_

County Road Name: \_\_\_\_\_  
Beginning Location: \_\_\_\_\_ Ending Location: \_\_\_\_\_  
Length of Project: \_\_\_\_\_ Section: \_\_\_\_\_ Township: \_\_\_\_\_ Range: \_\_\_\_\_  
Description of Work: \_\_\_\_\_

**BEGIN OF THE PROJECT**  
32.690135, -89.935854

**END OF THE PROJECT**  
32.645609, -89.935643




PREPARED BY:




COMCAST IS ATTACHING FIBER TO EXISTING  
POLES, BORING AND INSTALLING NEW CONDUIT WITHIN  
THE RIGHT-OF-WAY OWNED BY THE COUNTY.  
TOTAL: 18314ft

NO SCALE



ENGINEERED FOR:






PREPARED BY:



QUASAR, INC.

COMCAST IS ATTACHING FIBER TO EXISTING  
 POLES, BORING AND INSTALLING NEW CONDUIT WITHIN  
 THE RIGHT-OF-WAY OWNED BY THE COUNTY.  
 TOTAL: 18314ft

NO SCALE



ENGINEERED FOR:



COMCAST

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST  
 INSTALLATION LENGTH IN RW ON THIS SHEET 640 FT

BEGIN OF THE PROJECT  
 32.690135, -89.935854


PROPOSED VAULT PED

CROSSING 1

NEW FIBER

NEW FIBER

580' NEW FIBER



MATCH SHEET 2

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD DRY CREEK RD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 1 OF 22	



NO MATCH SHEET

NO MATCH SHEET

# MATCH SHEET 1

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 910 FT



NO MATCH SHEET

NO MATCH SHEET

# MATCH SHEET 3


PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE	SHEET 2 OF 22			



# MATCH SHEET 2

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 895 FT



NO MATCH SHEET

NO MATCH SHEET


# MATCH SHEET 4

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 3 OF 22	

# MATCH SHEET 3

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 865 FT



NO MATCH SHEET

NO MATCH SHEET


# MATCH SHEET 5

<p>PREPARED BY:</p>	<p>EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN</p>	<p>RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE</p>		<p>ENGINEERED FOR:</p>	<p>MADISON COUNTY SHARON RD TRANSPORT FIBER</p>
	<p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p>	<p>NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED</p>				<p>NO SCALE   SHEET 4 OF 22</p>

# MATCH SHEET 4

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST




INSTALLATION LENGTH IN RW ON THIS SHEET 985 FT



NO MATCH SHEET

NO MATCH SHEET

# MATCH SHEET 6

<p>PREPARED BY:</p> 	<p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p>	<p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p> <p>COUNTY LINE</p>		<p>ENGINEERED FOR:</p> 	<p>MADISON COUNTY</p> <p>SHARON RD</p> <p>TRANSPORT FIBER</p>
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p>	<p>NO SCALE</p> <p>SHEET 5 OF 22</p>			

# MATCH SHEET 5

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 881 FT

PROPOSED VAULT PED

PROPOSED VAULT PED



CROSSING 3



SHARON RD

NEW FIBER

82' NEW FIBER



CROSSING 4

PROPOSED VAULT PED

PROPOSED PED

# MATCH SHEET 7


PREPARED BY:



<ul style="list-style-type: none"> <li>⊗ EXISTING POLE</li> <li>□ PROPOSED PEDESTAL</li> <li>▽ PROPOSED VAULT</li> <li>W WATER VALVE</li> <li>F FIBER MARKER</li> <li>G GAS MARKER</li> <li>MH MANHOLE</li> <li>SM SEWER MANHOLE</li> <li>SD STORM DRAIN</li> </ul>	<ul style="list-style-type: none"> <li>--- RIGHT OF WAY LINE</li> <li>--- IRRIGATION LINE</li> <li>--- WATER LANE</li> <li>--- GAS LANE</li> <li>⋈ PROPOSED ANCHOR</li> <li>Ⓜ PROPOSED RISER</li> </ul>	<ul style="list-style-type: none"> <li>--- PROPOSED COAXIAL CABLE</li> <li>--- PROPOSED FIBER CABLE</li> <li>--- PROPOSED DIRECTIONAL BORE</li> <li>--- EXISTING CABLE</li> <li>--- COUNTY LINE</li> </ul>
---	---	--

LEGEND:  
RW - RIGHT OF WAY  
EOP - EDGE OF PAVEMENT  
DW - DRIVEWAY  
PDW - PAVED DRIVEWAY

NOTES:  
BORE HOLE TO BE FILLED SAME DAY  
VAULT HOLE TO BE FILLED SAME DAY  
ALL HOLE TO BE TAMPED AND SODDED



ENGINEERED FOR:



MADISON COUNTY  
SHARON RD  
TRANSPORT FIBER


NO SCALE SHEET 6 OF 22

NO MATCH SHEET

NO MATCH SHEET

MATCH SHEET 6

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST  
 INSTALLATION LENGTH IN RW ON THIS SHEET 922 FT



MATCH SHEET 6


NO MATCH SHEET

MATCH SHEET 8

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 7 OF 22	






# MATCH SHEET 7

MATCH SHEET 9



**PROPOSED COMCAST NEW ATTACHMENT**  
 18' MINIMUM HEIGHT AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
**PROPOSED COMCAST UNDERGROUND**  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 1215 FT



NO MATCH SHEET

# MATCH SHEET 12

PREPARED BY: 	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE - - - - - PROPOSED FIBER CABLE - - - - - PROPOSED DIRECTIONAL BORE - - - - - EXISTING CABLE - - - - - COUNTY LINE		ENGINEERED FOR: 	MADISON COUNTY SHARON RD ROBERTS RD TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 8 OF 22	



# MATCH SHEET 10

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 852 FT

NO MATCH SHEET

MATCH SHEET 8



NO MATCH SHEET

PREPARED BY:  	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  ROBERTS RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 9 OF 22	


# NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 700 FT

MATCH SHEET 11

NO MATCH SHEET



MATCH SHEET 9

<p>PREPARED BY:</p>	<ul style="list-style-type: none"> <li>✘ EXISTING POLE</li> <li>□ PROPOSED PEDESTAL</li> <li>▣ PROPOSED VAULT</li> <li>⊕ WATER VALVE</li> <li>⊙ FIBER MARKER</li> <li>⊙ GAS MARKER</li> <li>⊙ MANHOLE</li> <li>⊙ SEWER MANHOLE</li> <li>⊙ STORM DRAIN</li> </ul>	<ul style="list-style-type: none"> <li>--- RIGHT OF WAY LINE</li> <li>--- IRRIGATION LINE</li> <li>--- WATER LANE</li> <li>--- GAS LANE</li> <li>⋈ PROPOSED ANCHOR</li> <li>Ⓜ25 PROPOSED RISER</li> </ul>	<ul style="list-style-type: none"> <li>--- PROPOSED COAXIAL CABLE</li> <li>--- PROPOSED FIBER CABLE</li> <li>--- PROPOSED DIRECTIONAL BORE</li> <li>--- EXISTING CABLE</li> <li>--- COUNTY LINE</li> </ul>		<p>ENGINEERED FOR:</p> <p style="text-align: center;"></p>	<p>MADISON COUNTY</p> <p>ROBERTS RD</p> <p>TRANSPORT FIBER</p>	
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED</p>				<p>NO SCALE</p>	<p>SHEET 10 OF 22</p>




# NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 806 FT

NO MATCH SHEET



MATCH SHEET 10

# NO MATCH SHEET

PREPARED BY:  	<table border="0"> <tr> <td>✘ EXISTING POLE</td> <td>----- RIGHT OF WAY LINE</td> <td>--- PROPOSED COAXIAL CABLE</td> </tr> <tr> <td>□ PROPOSED PEDESTAL</td> <td>----- IRRIGATION LINE</td> <td>--- PROPOSED FIBER CABLE</td> </tr> <tr> <td>▣ PROPOSED VAULT</td> <td>----- WATER LANE</td> <td>--- PROPOSED DIRECTIONAL BORE</td> </tr> <tr> <td>⊕ WATER VALVE</td> <td>----- GAS LANE</td> <td>--- EXISTING CABLE</td> </tr> <tr> <td>⊖ FIBER MARKER</td> <td>⋈ PROPOSED ANCHOR</td> <td>--- COUNTY LINE</td> </tr> <tr> <td>⊙ GAS MARKER</td> <td>Ⓡ25 PROPOSED RISER</td> <td></td> </tr> <tr> <td>Ⓜ MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>Ⓢ SEWER MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>Ⓣ STORM DRAIN</td> <td></td> <td></td> </tr> </table> <p>LEGEND:                  RW - RIGHT OF WAY                  EOP - EDGE OF PAVEMENT                  DW - DRIVEWAY                  PDW - PAVED DRIVEWAY</p>	✘ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE	□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE	▣ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE	⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE	⊖ FIBER MARKER	⋈ PROPOSED ANCHOR	--- COUNTY LINE	⊙ GAS MARKER	Ⓡ25 PROPOSED RISER		Ⓜ MANHOLE			Ⓢ SEWER MANHOLE			Ⓣ STORM DRAIN				ENGINEERED FOR:  	MADISON COUNTY  ROBERTS RD  TRANSPORT FIBER  NO SCALE      SHEET 11 OF 22
✘ EXISTING POLE	----- RIGHT OF WAY LINE	--- PROPOSED COAXIAL CABLE																													
□ PROPOSED PEDESTAL	----- IRRIGATION LINE	--- PROPOSED FIBER CABLE																													
▣ PROPOSED VAULT	----- WATER LANE	--- PROPOSED DIRECTIONAL BORE																													
⊕ WATER VALVE	----- GAS LANE	--- EXISTING CABLE																													
⊖ FIBER MARKER	⋈ PROPOSED ANCHOR	--- COUNTY LINE																													
⊙ GAS MARKER	Ⓡ25 PROPOSED RISER																														
Ⓜ MANHOLE																															
Ⓢ SEWER MANHOLE																															
Ⓣ STORM DRAIN																															
NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED																															




# MATCH SHEET 8

PROPOSED COMCAST NEW ATTACHMENT  
 18' MINIMUM HEIGHT AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE

INSTALLATION LENGTH IN RW ON THIS SHEET 827 FT

NO MATCH SHEET

NO MATCH SHEET





# MATCH SHEET 13

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 12 OF 22	

# MATCH SHEET 12

PROPOSED COMCAST NEW ATTACHMENT  
 18' MINIMUM HEIGHT AT ALL POINTS  
 1 48CT FIBER CABLE  
 PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 533 FT



# MATCH SHEET 14

NO MATCH SHEET


NO MATCH SHEET

<p>PREPARED BY:</p>	<p> <span style="color:red">✗</span> <span style="color:red">✗</span> <span style="color:red">✗</span> <span style="color:red">✗</span> EXISTING POLE  <span style="color:green">□</span> PROPOSED PEDESTAL  <span style="color:green">□</span> PROPOSED VAULT  <span style="color:green">W</span> WATER VALVE  <span style="color:green">F</span> FIBER MARKER  <span style="color:green">C</span> GAS MARKER  <span style="color:green">MH</span> MANHOLE  <span style="color:green">SM</span> SEWER MANHOLE  <span style="color:green">SD</span> STORM DRAIN  <span style="color:red">---</span> RIGHT OF WAY LINE  <span style="color:blue">---</span> IRRIGATION LINE  <span style="color:blue">---</span> WATER LANE  <span style="color:blue">---</span> GAS LANE  <span style="color:red">⋈</span> PROPOSED ANCHOR  <span style="color:red">Ⓜ25</span> PROPOSED RISER                 </p>	<p> <span style="color:red">---</span> PROPOSED COAXIAL CABLE  <span style="color:red">---</span> PROPOSED FIBER CABLE  <span style="color:green">---</span> PROPOSED DIRECTIONAL BORE  <span style="color:blue">---</span> EXISTING CABLE  <span style="color:magenta">---</span> COUNTY LINE                 </p>		<p>ENGINEERED FOR:</p>	<p>MADISON COUNTY                  SHARON RD                  TRANSPORT FIBER</p>
	<p>                 LEGEND:                  RW - RIGHT OF WAY                  EOP - EDGE OF PAVEMENT                  DW - DRIVEWAY                  PDW - PAVED DRIVEWAY             </p>	<p>                 NOTES:                  BORE HOLE TO BE FILLED SAME DAY                  VAULT HOLE TO BE FILLED SAME DAY                  ALL HOLE TO BE TAMPED AND SODDED             </p>		<p>NO SCALE</p>	<p>SHEET 13 OF 22</p>

# MATCH SHEET 13

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 880 FT



NO MATCH SHEET

NO MATCH SHEET


# MATCH SHEET 15

PREPARED BY:  	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 14 OF 22	

# MATCH SHEET 14



PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 980 FT



NO MATCH SHEET

NO MATCH SHEET




# MATCH SHEET 16

PREPARED BY:  	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER  LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE	SHEET 15 OF 22			

# MATCH SHEET 15


PROPOSED COMCAST NEW ATTACHMENT  
 18' MINIMUM HEIGHT AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 750 FT



NO MATCH SHEET

NO MATCH SHEET




# MATCH SHEET 17

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 16 OF 22	

# MATCH SHEET 16

PROPOSED COMCAST NEW ATTACHMENT  
 18' MINIMUM HEIGHT AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 578 FT



NO MATCH SHEET

NO MATCH SHEET


# MATCH SHEET 18

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 17 OF 22	

# MATCH SHEET 17

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST





















INSTALLATION LENGTH IN RW ON THIS SHEET 890 FT



NO MATCH SHEET

NO MATCH SHEET

# MATCH SHEET 19



PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE  PROPOSED PEDESTAL  PROPOSED VAULT  WATER VALVE  FIBER MARKER  GAS MARKER  MANHOLE  SEWER MANHOLE  STORM DRAIN	- - - - - RIGHT OF WAY LINE  IRRIGATION LINE  WATER LANE  GAS LANE  PROPOSED ANCHOR  PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE  PROPOSED FIBER CABLE  PROPOSED DIRECTIONAL BORE  EXISTING CABLE  COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 18 OF 22	



# MATCH SHEET 18

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 24CT FIBER CABLE  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 943 FT



NO MATCH SHEET


NO MATCH SHEET

<p>PREPARED BY:</p>	<p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p>	<p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p>	<p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p> <p>COUNTY LINE</p>		<p>ENGINEERED FOR:</p> <p>MADISON COUNTY</p> <p>SHARON RD</p> <p>TRANSPORT FIBER</p>
	<p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p>	<p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p>			<p>NO SCALE</p> <p>SHEET 19 OF 22</p>

# MATCH SHEET 19

PROPOSED COMCAST UNDERGROUND  
 DIRECTIONAL BORE  
 4' MINIMUM DEPTH AT ALL POINTS  
 1 24CT FIBER CABLE  
 1 48CT FIBER CABLE  
 NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 892 FT



NO MATCH SHEET

NO MATCH SHEET


# MATCH SHEET 21

PREPARED BY:  	✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	- - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER	- - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE ——— COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 20 OF 22	

# MATCH SHEET 20

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 892 FT



NO MATCH SHEET

NO MATCH SHEET

# MATCH SHEET 22

PREPARED BY:  	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 21 OF 22	

# MATCH SHEET 21

PROPOSED COMCAST UNDERGROUND  
DIRECTIONAL BORE  
4' MINIMUM DEPTH AT ALL POINTS  
1 48CT FIBER CABLE  
NO OTHER BURIED UTILITIES EXIST

INSTALLATION LENGTH IN RW ON THIS SHEET 478 FT


TOTAL INSTALLATION LENGTH 18314 FT

AERIAL: 2066 FT

UG: 16248 FT

START 32.690135, -89.935854

END 32.645609, -89.935643



PROPOSED VAULT PED

END OF THE PROJECT  
32.645609, -89.935643

NO MATCH SHEET

NO MATCH SHEET

NO MATCH SHEET

PREPARED BY:  	EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN	RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER	PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE COUNTY LINE		ENGINEERED FOR:  	MADISON COUNTY  SHARON RD  TRANSPORT FIBER
	LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY	NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED	NO SCALE		SHEET 22 OF 22	