

Department of Engineering
Tim Bryan, P.E., County Engineer

3137 South Liberty Street, Canton, MS 39046
Office (601) 790-2525 FAX (601) 859-3430

MEMORANDUM

July 11, 2023

To: Sheila Jones, Supervisor, District I
Trey Baxter, Supervisor, District II
Gerald Steen, Supervisor, District III
Karl Banks, Supervisor, District IV
Paul Griffin, Supervisor, District V

From: Tim Bryan, P.E., PTOE
County Engineer

Re: Comcast Cable Utility Permit
County Road Name, Williams Carson Road, Old MS 16, Steen Road, Church Road, and Dock Chinn Road

The Engineering Department recommends approval of the permit application for Comcast is boring and installing 2" HDPE to pull 48 CT and 24 CT fiber within the right-of-way owned by the County including the listed roads below.

- Williams Carson Road
- Old MS 16
- Steen Road
- Church Road
- Dock Chinn Road

SHEILA JONES
District One

TREY BAXTER
District Two

GERALD STEEN
District Three

KARL BANKS
District Four

PAUL GRIFFIN
District Five



PERMIT APPLICATION FOR THE CONSTRUCTION OR ADJUSTMENT OF A UTILITY WITHIN COUNTY ROAD RIGHT-OF-WAY

Utility Information: Utility Name: COMCAST CABLE

Address: 3425 Malone Drive City/State/Zip: Chamblee/ GA/ 30-341

Contact Person: Linda Taibl Contact's Phone: _____

Project Information: County Road Name: Williams Carson Rd, Old Mississippi16, Steen Rd, Church Ln, Dock Chinn Rd
(If located within more than one road right-of-way, use Appendix 1 for additional descriptions)

Beginning Location: 32.658803, -89.934641 Ending Location: 32.669640, -89.909207

Length of Project: 19078FT Section: 34 Township: 3 Range: 69

Description of Work: COMCAST IS BORING AND INSTALLING 2" HDPE TO PULL 48CT AND 24CT FIBER WITHIN THE RIGHT-OF-WAY OWNED BY THE COUNTY.

TOTAL INSTALLATION LENGTH IN ROW: 19078FT

Check Box if Appendix 1 is to be included as a part of this Application

Whereas the above stated Utility makes application to the **Madison County Board of Supervisors** for a Construction Permit. Attached hereto are drawings and plans for the construction of the above facilities located within Madison County owned public rights-of-way. Once stamped by the Madison County Engineering Department, these plans shall not be changed or altered without written approval of the County Engineer, or his representative. A copy of the approved permit and plans shall be on-site at all times during construction.

The Applicant Utility shall comply with all policies, procedures and construction practices as outlined in *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads* (hereinafter referred to as the "Policy"), as adopted on November 1, 2005, by the **Madison County Board of Supervisors**, and which is hereby made a part of this Application Agreement.

If facilities are to be located within the Rights-of-Way of the County-Federal or State Aid System, Applicant Utility also agrees to comply with applicable provisions of *S.O.P. No. SA II-2-8, Accommodation of Utilities on Rights-of-Way*, issued by the State Aid Engineer and dated July 1, 2005.

The Applicant Utility understands and agrees that, except as herein granted, no right, title, claim, or easement to said road right-of-way is granted by the issuance of this permit. If this Utility is listed in the general provisions of the Policy, it will be adjusted to comply with same without cost to the County, unless the variance from the Policy has been approved by the granting of the Permit pursuant to this Application.

The Applicant Utility further understands that the Utility's engineering, plant, or other personnel will be responsible for the staking and construction supervision of the work set out above and as shown on the attached plans. If work impacts traffic in any way, the appropriate traffic control shall be installed per the *Manual of Uniform Traffic Control Devices*, Latest Edition.

The Applicant Utility understands that the County Engineer, or his representative, may issue a Stop Work Order at any time if it is deemed that site conditions are not suitable for construction or if any of the requirements of this permit are not being met.

Many County Roads have variable Rights-of-Way and/or no Right-of-Way at all and are maintained under a Prescriptive Easement. It is the sole responsibility of the Applicant Utility to verify the existence and limits of public rights-of-way. If none exists, it is the

responsibility of the Applicant Utility to acquire an easement for their Facilities from the applicable property owner(s). Madison County in no way verifies the limits of Right-of-Way as shown on the permit application.

The Applicant Utility shall be responsible for all future maintenance and repair of the facilities installed under this permit. The Applicant Utility shall make future adjustments to, or relocate, the facilities located within road or highway right-of-way when required for road or highway widening or other road or highway construction at no cost to Madison County. The Applicant Utility shall relocate said utilities within sixty (60) days of notification by County by registered mail, return receipt requested, unless otherwise designated by the County Engineer. Further, any maintenance, repair, or construction shall be done in such a manner as to occasion no unreasonable interference with the normal flow and safety to traffic and at the expense of the utility company. When reasonable care has been taken to locate said utility facilities within the right-of-way, the Applicant Utility understands that any damages caused by routine maintenance and construction by County forces shall be borne by the Applicant Utility.

The Applicant Utility further agrees to indemnify and hold Madison County harmless for any and all claims, accidents, damages, liabilities and expenses occasioned wholly, or in part, by any act or omission of applicant, its agents or employees. In case County shall, without fault on its own part, be made a party to any litigation commenced by or against applicant, then applicant shall protect and hold County harmless, and shall pay all costs, expenses and reasonable attorney's fees incurred or paid by County in connection with said litigation.

All underground facilities shall be installed at a depth equal to or greater than 48" below the lowest adjacent grade.

All pipes carrying liquid shall be encased under County maintained roads.

WITNESS the signature of the Applicant this the 20 day of 04, 2023.

By: Linda Taibl
(Applicant Signature)

Title: Construction specialist

Note: *Applicant must be an employee of the Utility named in this application. The Madison County Board of Supervisors will not recognize a Contractor, Subcontractor, Agent, or Consulting Engineer as the Applicant. Utility Company shall be fully responsible for all work performed under this application.*

I, or my authorized representative, have reviewed this application and determined that the drawing, sketches, and plans submitted by the Applicant meet the requirements of *A Policy for The Accommodation of Utility Facilities within the Right-of-Way of all Public County Roads.*

APPROVED
By *timothy.bryan at 10:24 am, Jul 12, 2023*

By **Tim Bryan, P.E.**
County Engineer

AGREED TO AND APPROVED BY:

Madison County Board President

Date: _____

ENTERED INTO THE MINUTES OF THE BOARD OF SUPERVISORS OF MADISON COUNTY, MISSISSIPPI ON THIS

_____ DAY OF _____, 20_____.

Appendix 1


County Road Name: Williams Carson Rd
Beginning Location: 32.671643, -89.912409 Ending Location: 32.669640, -89.909207
Length of Project: 1305FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER
WITHIN THE WILLIAMS CARSON RD RIGHT-OF-WAY.

County Road Name: Old Mississippi 16
Beginning Location: 32.658803, -89.934641 Ending Location: _____
Length of Project: 15142FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT AND 48CT FIBER
WITHIN THE OLD MISSISSIPPI 16 RIGHT-OF-WAY.

County Road Name: Steen Rd
Beginning Location: 32.658693, -89.927063 Ending Location: 32.659484, -89.927079
Length of Project: 337FT Section: 34 Township: 3 Range: 693
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 48CT FIBER
WITHIN THE STEEN RD RIGHT-OF-WAY.

County Road Name: Church Ln
Beginning Location: 32.658440, -89.908080 Ending Location: 32.661121, -89.908035
Length of Project: 1087FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER
WITHIN THE CHURCH RD RIGHT-OF-WAY.

County Road Name: Dock Chinn Rd
Beginning Location: 32.661100, -89.891490 Ending Location: 32.664354, -89.891773
Length of Project: 1207FT Section: 34 Township: 3 Range: 69
Description of Work: BORE AND INSTALL 2" HDPE TO PULL NEW 24CT FIBER
WITHIN THE DOCK CHINN RD RIGHT-OF-WAY.




BEGIN OF THE PROJECT
 32.658794, -89.935126

END OF THE PROJECT
 32.669640, -89.909207

PREPARED BY:

COMCAST IS BORING AND INSTALLING
 NEW CONDUIT WITHIN THE RIGHT-OF-WAY
 OWNED BY THE THE COUNTY
 TOTAL: 19 078ft





ENGINEERED FOR:



NO SCALE



QUASAR, INC.




PREPARED BY:

COMCAST IS BORING AND INSTALLING
NEW CONDUIT WITHIN THE RIGHT-OF-WAY
OWNED BY THE THE COUNTY

TOTAL: 19 078ft

ENGINEERED FOR:




NO SCALE

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 396 FT

NO MATCH SHEET



MATCH SHEET 2

NO MATCH SHEET



| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 1 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 801 FT

MATCH SHEET 1

MATCH SHEET 3




NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 2 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 729 FT

MATCH SHEET 2



MATCH SHEET 4


NO MATCH SHEET

| | | | | | | | |
|--|--|--|---|---|--|-------------------------|--|
| PREPARED BY: | <table border="0"> <tr> <td> <ul style="list-style-type: none"> ✘ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </td> <td> <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER </td> <td> <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE </td> </tr> </table> | <ul style="list-style-type: none"> ✘ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN | <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER | <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER NO SCALE SHEET 3 OF 26 |
| <ul style="list-style-type: none"> ✘ EXISTING POLE □ PROPOSED PEDESTAL ▣ PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN | <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER | <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE | | | | | |
| LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | | | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | | | | |


NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
DIRECTIONAL BORE
4' MINIMUM DEPTH AT ALL POINTS
1 48CT FIBER CABLE
NO OTHER BURIED UTILITIES EXIST
INSTALLATION LENGTH IN RW ON THIS SHEET 940 FT

MATCH SHEET 3



MATCH SHEET 5



NO MATCH SHEET



| | | | | | | |
|---------------------|---|--|--|--|------------------------|--|
| <p>PREPARED BY:</p> | <p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p> | <p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p> | <p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p> | | <p>ENGINEERED FOR:</p> | <p>MADISON COUNTY</p> <p>OLD MISSISSIPPI 16, STEEN RD</p> <p>TRANSPORT FIBER</p> |
| | <p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p> | <p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p> | <p>NO SCALE</p> <p>SHEET 4 OF 26</p> | | | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 694 FT

MATCH SHEET 4

MATCH SHEET 6




NO MATCH SHEET

| | | | | | | |
|----------------------|--|--|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | SHEET 5 OF 26 | | | |

NO MATCH SHEET



PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 752 FT

MATCH SHEET 5



MATCH SHEET 7


NO MATCH SHEET

| | | | | |
|--|--|--|--|---|
| <p>PREPARED BY:</p> | <p> ✗ ✗ ✗ ✗ EXISTING POLE □ PROPOSED PEDESTAL V PROPOSED VAULT W WATER VALVE F FIBER MARKER C GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </p> | <p> RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER </p> | <p> PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE </p> | <p> ENGINEERED FOR: MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER </p> |
|  | <p> LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY </p> | <p> NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED </p> |  | <p> NO SCALE SHEET 6 OF 26 </p> |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 743 FT

MATCH SHEET 6



MATCH SHEET 8


NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 7 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 777 FT

MATCH SHEET 7



MATCH SHEET 9


NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 8 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 624 FT

MATCH SHEET 8



MATCH SHEET 10

NO MATCH SHEET


| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 9 OF 26 | |

NO MATCH SHEET




PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 607 FT

MATCH SHEET 9

MATCH SHEET 11




NO MATCH SHEET

| | | | | | | |
|--|---|--|--|---|--|--|
| <p>PREPARED BY:</p>  | <p>EXISTING POLE</p> <p>PROPOSED PEDESTAL</p> <p>PROPOSED VAULT</p> <p>WATER VALVE</p> <p>FIBER MARKER</p> <p>GAS MARKER</p> <p>MANHOLE</p> <p>SEWER MANHOLE</p> <p>STORM DRAIN</p> | <p>RIGHT OF WAY LINE</p> <p>IRRIGATION LINE</p> <p>WATER LANE</p> <p>GAS LANE</p> <p>PROPOSED ANCHOR</p> <p>PROPOSED RISER</p> | <p>PROPOSED COAXIAL CABLE</p> <p>PROPOSED FIBER CABLE</p> <p>PROPOSED DIRECTIONAL BORE</p> <p>EXISTING CABLE</p> |  | <p>ENGINEERED FOR:</p>  | <p>MADISON COUNTY</p> <p>OLD MISSISSIPPI 16</p> <p>TRANSPORT FIBER</p> |
| | <p>LEGEND:</p> <p>RW - RIGHT OF WAY</p> <p>EOP - EDGE OF PAVEMENT</p> <p>DW - DRIVEWAY</p> <p>PDW - PAVED DRIVEWAY</p> | <p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY</p> <p>VAULT HOLE TO BE FILLED SAME DAY</p> <p>ALL HOLE TO BE TAMPED AND SODDED</p> | <p>NO SCALE</p> <p>SHEET 10 OF 26</p> | | | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 727 FT

MATCH SHEET 10



MATCH SHEET 12


NO MATCH SHEET

| | | | | | | |
|---------------------|--|--|--|-----------------|------------------------|--|
| <p>PREPARED BY:</p> | <p>✘ ✘ ✘ ✘ EXISTING POLE [V] PROPOSED PEDESTAL [V] PROPOSED VAULT [W] WATER VALVE [F] FIBER MARKER [C] GAS MARKER [MH] MANHOLE [SM] SEWER MANHOLE [SD] STORM DRAIN</p> | <p>----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE [A] PROPOSED ANCHOR [R25] PROPOSED RISER</p> | <p>----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE</p> | | <p>ENGINEERED FOR:</p> | <p>MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER</p> |
| | <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p> | <p>NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED</p> | | <p>NO SCALE</p> | <p>SHEET 11 OF 26</p> | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 706 FT

MATCH SHEET 11



MATCH SHEET 13

NO MATCH SHEET



| | | | | | | | |
|--|--|--|--|---|--|-------------------------|---|
| PREPARED BY: | <table border="0"> <tr> <td style="vertical-align: top;"> <ul style="list-style-type: none"> ✘ EXISTING POLE P PROPOSED PEDESTAL V PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN </td> <td style="vertical-align: top;"> <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER </td> <td style="vertical-align: top;"> <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE </td> </tr> </table> | <ul style="list-style-type: none"> ✘ EXISTING POLE P PROPOSED PEDESTAL V PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN | <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER | <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| <ul style="list-style-type: none"> ✘ EXISTING POLE P PROPOSED PEDESTAL V PROPOSED VAULT W WATER VALVE F FIBER MARKER G GAS MARKER MH MANHOLE SM SEWER MANHOLE SD STORM DRAIN | <ul style="list-style-type: none"> ----- RIGHT OF WAY LINE ----- IRRIGATION LINE ----- WATER LANE ----- GAS LANE ----- PROPOSED ANCHOR R 25 PROPOSED RISER | <ul style="list-style-type: none"> ----- PROPOSED COAXIAL CABLE ----- PROPOSED FIBER CABLE ----- PROPOSED DIRECTIONAL BORE ----- EXISTING CABLE | | | | | |
| | | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE SHEET 12 OF 26 | | | | |

MATCH SHEET 12

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 979 FT

MATCH SHEET 12

MATCH SHEET 14



NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE □ PROPOSED PEDESTAL □ PROPOSED VAULT □ WATER VALVE □ FIBER MARKER □ GAS MARKER □ MANHOLE □ SEWER MANHOLE □ STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE (R) 25 PROPOSED ANCHOR (R) 25 PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16, CHURCH LN TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 13 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 810 FT



NO MATCH SHEET

NO MATCH SHEET

MATCH SHEET 15


| | | | | | | |
|----------------------|--|--|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | - - - - - PROPOSED COAXIAL CABLE - - - - - PROPOSED FIBER CABLE - - - - - PROPOSED DIRECTIONAL BORE - - - - - EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16, CHURCH LN TRANSPORT FIBER |
| | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | SHEET 14 OF 26 | | | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 638 FT

MATCH SHEET 14

MATCH SHEET 16




NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 15 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 824 FT

MATCH SHEET 15



MATCH SHEET 17


NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 16 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 714 FT

MATCH SHEET 16



MATCH SHEET 18


NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 17 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 712 FT

MATCH SHEET 17



MATCH SHEET 19

NO MATCH SHEET


| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 18 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 750 FT

MATCH SHEET 18

MATCH SHEET 20



NO MATCH SHEET


| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 19 OF 26 | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 668 FT

MATCH SHEET 19

MATCH SHEET 21




NO MATCH SHEET

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-------------------------------|-------------------------|----------------------------|---------------------|-----------------------|--------------------------|------------------|------------------|-------------------------------|---------------|----------------|--------------------|----------------|---------------------|--|--------------|------------------|--|------------|--|--|------------------|--|--|----------------|--|--|--|-------------------------|---|
| PREPARED BY: | <table border="0"> <tr> <td>✘ EXISTING POLE</td> <td>----- RIGHT OF WAY LINE</td> <td>--- PROPOSED COAXIAL CABLE</td> </tr> <tr> <td>□ PROPOSED PEDESTAL</td> <td>----- IRRIGATION LINE</td> <td>--- PROPOSED FIBER CABLE</td> </tr> <tr> <td>□ PROPOSED VAULT</td> <td>----- WATER LANE</td> <td>--- PROPOSED DIRECTIONAL BORE</td> </tr> <tr> <td>W WATER VALVE</td> <td>----- GAS LANE</td> <td>--- EXISTING CABLE</td> </tr> <tr> <td>F FIBER MARKER</td> <td>--- PROPOSED ANCHOR</td> <td></td> </tr> <tr> <td>G GAS MARKER</td> <td>Ⓜ PROPOSED RISER</td> <td></td> </tr> <tr> <td>MH MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>SM SEWER MANHOLE</td> <td></td> <td></td> </tr> <tr> <td>SD STORM DRAIN</td> <td></td> <td></td> </tr> </table> <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p> | ✘ EXISTING POLE | ----- RIGHT OF WAY LINE | --- PROPOSED COAXIAL CABLE | □ PROPOSED PEDESTAL | ----- IRRIGATION LINE | --- PROPOSED FIBER CABLE | □ PROPOSED VAULT | ----- WATER LANE | --- PROPOSED DIRECTIONAL BORE | W WATER VALVE | ----- GAS LANE | --- EXISTING CABLE | F FIBER MARKER | --- PROPOSED ANCHOR | | G GAS MARKER | Ⓜ PROPOSED RISER | | MH MANHOLE | | | SM SEWER MANHOLE | | | SD STORM DRAIN | | | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER NO SCALE SHEET 20 OF 26 |
| ✘ EXISTING POLE | ----- RIGHT OF WAY LINE | --- PROPOSED COAXIAL CABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| □ PROPOSED PEDESTAL | ----- IRRIGATION LINE | --- PROPOSED FIBER CABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| □ PROPOSED VAULT | ----- WATER LANE | --- PROPOSED DIRECTIONAL BORE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W WATER VALVE | ----- GAS LANE | --- EXISTING CABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F FIBER MARKER | --- PROPOSED ANCHOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G GAS MARKER | Ⓜ PROPOSED RISER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MH MANHOLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SM SEWER MANHOLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SD STORM DRAIN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


MATCH SHEET 20

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 48CT FIBER CABLE
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 1278 FT



MATCH SHEET 20

MATCH SHEET 22





NO MATCH SHEET

| | | | | | | |
|----------------------|--|--|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16, DOCK CHINN RD TRANSPORT FIBER |
| | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | SHEET 21 OF 26 | | | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 662 FT



MATCH SHEET 23

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | --- RIGHT OF WAY LINE --- IRRIGATION LINE --- WATER LANE --- GAS LANE PROPOSED ANCHOR PROPOSED RISER | --- PROPOSED COAXIAL CABLE --- PROPOSED FIBER CABLE --- PROPOSED DIRECTIONAL BORE --- EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 22 OF 26 | |


NO MATCH SHEET

NO MATCH SHEET

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 681 FT

MATCH SHEET 22



MATCH SHEET 24


NO MATCH SHEET

| | | | | | | |
|---------------------|---|--|--|-----------------|------------------------|--|
| <p>PREPARED BY:</p> | <p>EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN</p> | <p>RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER</p> | <p>PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE</p> | | <p>ENGINEERED FOR:</p> | <p>MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER</p> |
| | <p>LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p> | <p>NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED</p> | | <p>NO SCALE</p> | <p>SHEET 23 OF 26</p> | |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGTH IN RW ON THIS SHEET 561 FT

MATCH SHEET 23




NO MATCH SHEET

NO MATCH SHEET




| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY OLD MISSISSIPPI 16 TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 24 OF 26 | |

NO MATCH SHEET

NO MATCH SHEET



MATCH SHEET 26



NO MATCH SHEET


| | | | | | |
|---------------------|---|---|---|--|--|
| <p>PREPARED BY:</p> | <ul style="list-style-type: none"> EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | <ul style="list-style-type: none"> RIGHT OF WAY LINE IRRIGATION LINE WATER LANE GAS LANE PROPOSED ANCHOR PROPOSED RISER | <ul style="list-style-type: none"> PROPOSED COAXIAL CABLE PROPOSED FIBER CABLE PROPOSED DIRECTIONAL BORE EXISTING CABLE | | <p>ENGINEERED FOR:</p> <p>MADISON COUNTY WILLIAMS-CARSON RD, MS-43 TRANSPORT FIBER</p> |
| | <p>LEGEND:</p> <p>RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY</p> | <p>NOTES:</p> <p>BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED</p> | | | <p>NO SCALE</p> <p>SHEET 25 OF 26</p> |

NO MATCH SHEET

PROPOSED COMCAST UNDERGROUND
 DIRECTIONAL BORE
 4' MINIMUM DEPTH AT ALL POINTS
 1 24CT FIBER CABLE
 NO OTHER BURIED UTILITIES EXIST
 INSTALLATION LENGHT IN RW ON THIS SHEET 679 FT
 TOTAL INSTALLATION LENGHT 19078 FT
 AERIAL: 0 FT
 UG: 19078 FT
 START 32.658803, -89.934641
 END 32.669640, -89.909207

MATCH SHEET 25

NO MATCH SHEET



NO MATCH SHEET

| | | | | | | |
|----------------------|--|---|---|--|-------------------------|---|
| PREPARED BY: | ✕ ✕ ✕ ✕ EXISTING POLE PROPOSED PEDESTAL PROPOSED VAULT WATER VALVE FIBER MARKER GAS MARKER MANHOLE SEWER MANHOLE STORM DRAIN | - - - - - RIGHT OF WAY LINE ——— IRRIGATION LINE ——— WATER LANE ——— GAS LANE PROPOSED ANCHOR PROPOSED RISER | - - - - - PROPOSED COAXIAL CABLE ——— PROPOSED FIBER CABLE ——— PROPOSED DIRECTIONAL BORE ——— EXISTING CABLE | | ENGINEERED FOR: | MADISON COUNTY WILLIAMS-CARSON RD TRANSPORT FIBER |
| | LEGEND: RW - RIGHT OF WAY EOP - EDGE OF PAVEMENT DW - DRIVEWAY PDW - PAVED DRIVEWAY | NOTES: BORE HOLE TO BE FILLED SAME DAY VAULT HOLE TO BE FILLED SAME DAY ALL HOLE TO BE TAMPED AND SODDED | NO SCALE | | SHEET 26 OF 26 | |