




## PURCHASING DEPARTMENT

Madison County Board of Supervisors  
146 West Center Street / Post Office Box 608  
Canton, MS 39046  
Office (601)-855-5534 ~ Fax (601) 859-5875

August 19, 2024

**To:** Board of Supervisors  
**From:** Kesha Jackson, Purchasing Clerk   
**Subject:** Award Dump Trailers – Road Department

Attached are copies of the results of the recent reverse auction for Dump Trailers.

I recommend that the Board take the following actions:

1. Acknowledge bids received;
2. Award Dump Trailers to Tri State Truck Center as lowest and best bidder

Thank you in advance for your consideration of the above recommendations.

# Reverse Auction | Dump Trailers

Menu [s](#) [Planning and Zoning](#) [Bid Tool](#) [Email Manager](#) [Help](#) [Bid Tool](#)

- [Create New Bid](#)
  - [View Pending Bids](#)
  - [View Open Bids](#)
  - [View Closed Bids](#)
  - [View Public Log](#)
  - [Bid System Log](#)
  - [Permissions](#)
- Current Time: 08-13-2024 04:18:44 pm

Show 10 entries

Search:

ID	Name	Phone	Email	Company Name	Date Submitted	Bid Amount	View Bid
3284	Todd Flatt	(601) 278-5326	<a href="mailto:tflatt@tristatetruck.com">tflatt@tristatetruck.com</a>	Tri State Truck Center	08-13-2024 10:13:51 am	\$49,760.00	<a href="#">View Bid</a>

Showing 1 to 1 of 1 entries

[Previous](#) [1](#) [Next](#)

**MADISON COUNTY, MISSISSIPPI  
INVITATION FOR BIDS  
Dump Trailers**

The Madison County Board of Supervisors will receive un-priced proposals on the following:

**Dump Trailers**

Un-priced proposals will be accepted until 10:00 a.m. on Thursday, August 8, 2024 by electronic submission at <http://www.madison-co.com/bids> or in sealed envelope at the Chancery Clerk's Office, 125 West North Street, Canton, Mississippi. For any questions relating to the electronic submission process, please call Kesha Jackson at 601-855-5534.

Submitted un-priced proposals will be evaluated, and vendors submitting acceptable proposals will be invited to submit priced bids. Bidding will be held by electronic reverse auction on Tuesday, August 13, 2024, at 10:00 a.m. Bidders may come to the Office of Purchasing with a paper bid and receive technical assistance in entering their bid in the reverse auction.

Specifications for the Dump Trailers are available on the bid page of the Madison County Board of Supervisors at: <http://www.madison-co.com/bids>. Additionally, specifications are on file in the Chancery Clerk's Office, Madison County Office Complex, 125 West North Street, Canton, Mississippi, 39046 and available during normal business hours. There is no charge for specifications obtained using either of these methods.

All bids must comply with the specifications provided. Madison County reserves the right to amend the specifications, as necessary, and agrees to notify all who have requested bid packets from the Madison County Board of Supervisors.

The Madison County Board of Supervisors reserves the right to extend the auction date if necessary, to complete the bid proposal pre-qualification process.

Electronic proposals must be submitted at <http://www.madison-co.com/bids>.

All in-person submitted un-priced proposals must be sealed and clearly labeled on the outside of the bid envelope as instructed in the bid package and delivered to the Chancery Clerk's Office, at 125 West North Street, Canton, Mississippi.

The Board of Supervisors reserves the right to reject any and all bids.

SUBMITTED:

MADISON COUNTY JOURNAL

FOR PUBLICATION ON:

Thursday, July 11, 2024  
Thursday, July 18, 2024

PROOF OF PUBLICATION TO:

Madison County Chancery Clerk  
PO Box 404  
Canton, MS 39046

**FILED**

MADISON COUNTY

10:48  
AUG 06 2024

HONNY LOFT, CHANCERY CLERK

BY  D.C.

**Madison County Board of Supervisors**  
**Bid Specifications For**  
**New 2024 Model or New Dump Trailer**

Complete by Checking the Following;  
 IF NOT COMPLIANT, state specifically the item being offered

	<u>YES</u>	<u>NO</u>	<u>OFFERED</u>
Capacity: 22 water level to 25 maximum cubic yards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Inside Width: 88 inches (94-1/4 inches O.D.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Inside Length: 24 feet at the floor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Front End: 48 inches-10 gauge radius design with Driver's side access steps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Hoist Box: 10 gauge construction - 50 inches high	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Cylinder: Commercial S84DC-66-180	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Sidewalls: 42 inches 10 gauge with boxed top rail, sloped bottom rail, & posts on 24-inch centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Side Boards: 6-inch wood bolted in steel pockets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate: 48 inches - 10 gauge, 3 panel design with Spreader chains and brackets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate Slope: standard 6-inch forward	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate Hinge: 1-inch plate with 1-1/4 inch pins	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate Latch: air operated from the cab or trailer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Flooring: 10 gauge construction with 45-degree taper at the sidewalls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Cross members: 4-inch channel set on 12-inch centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Longitudinal: 8 inch I-beam, full length of body	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Dump Apron: 9 3/4 HD Sloping Material with Angel Insert	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Chassis: Hybrid Design	<input type="checkbox"/>	<input type="checkbox"/>	_____

Initial   ZF   Date   7/25/24

Landing Gear: non-load bearing stiff drop leg type

YES

NO

OFFERED

Suspension: Hutchens H900 50,000 lb. capacity, 7 leaf,  
two spring single point type

Axles: Hendrickson 25,000 lb. capacity, 5" round

Brakes: 16-1/2 x 7 air actuated with MGM 3030 chambers,  
Haldex 6" S-A.B.A. & PLC Select 2S/1M FFABS

Drums: outboard mounted heavy-duty cast type

Hubs: KIC 10 stud for hub-piloted mounted wheels

Wheels: 24.5 x 8.25 10 hole piloted steel disc type

Tires: 11R24.5 G-14 ply rated RR150 Double Coin  
per availability or equal, dual mounted - 8 total

Lights: 12 volt DC, 7-way connector, Sealco wiring,  
harness, sealed lamps, & conspicuity taping

Mud flaps: 24" x 36" rear mounted Palmer rubber type

Color: Body standard palmer silver

Underbody standard chasses black

Wheels standard pre-painted white

Front End Mounted 24" x 14" Mud Flaps LED Lights

Tarp Tie-Down Bars on sides and tailgate

Non-load bearing stiff legs mounted to draft arms

Long studs on hubs for future aluminum wheels

Gross vehicle weight rating (G.V.W.R.) 65,000 lbs.

Gross axle weight rating (G.A.W.R.) 20,000 lbs. each

Estimated Trailer Weight: 13,470 lbs.

Kingpin setting 24 inches from the front

<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>

Black in Color

Initial JF Date 7/25/24

Description: 24ft Tandem Axle Hybrid Steel End  
 Dump Semi-Trailer  
 Dump angle: 49 degrees  
 Suspension setting: 46 1/2 inches from centerline to rear

YES

NO

OFFERED

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Warranty

Five year Warranty "Bumper to Bumper"  
 Bidder must attached a list of covered items

Not on Trailer

Dump trailers to be free of defects in material and  
 Workmanship for Six months from date of delivery,  
 and for parts supplied by the suppliers in accordance  
 with their warranty policies.

Initial ZZ Date 7/25/24

**MANDATORY BID SHEET**

COMPANY NAME: Tri State Truck Center

ADDRESS: 412 Hwy 49 S, Richland, Ms. 39218

TELEPHONE: 601-278-5326

FAX NUMBER: \_\_\_\_\_

EMAIL: tflatt@tristatetruck.com

Todd Flatt  
AUTHORIZED REPRESENTATIVE'S SIGNATURE

7/25/24  
DATE

Todd Flatt  
PRINTED AUTHORIZED REPRESENTATIVE'S NAME FOR

PROPOSAL SHEET MUST BE SIGNED AND DATED BY AN AUTHORIZED COMPANY REPRESENTATIVE

MUST INCLUDE PRODUCT SUMMARY, INCLUDING DETAILS OF ALL FEATURES AND OPTIONS OF PROPOSED VEHICLE

Menu

s Planning and Zoning Bid Tool Email Manager Help Bid Tool

- Create New Bid
- View Pending Bids
- View Open Bids
- View Closed Bids
- View Public Log
- Bid System Log
- Permissions
- Current Time: 08-08-2024 10:01:23 am

These bid orders are now completed and closed to the public. The bids can be viewed once the process is complete.  
 Show 100 v entries Search:

Bid Number	Description	Start Time	End Time	Order Type	Actions
2024-0261	Madison County Dump Traller...	05-29-2024 8:00 am	06-20-2024 10:00 am	Sealed Bid	<a href="#">View Bids</a>
2024-0262	Madison County Motor Grader...	06-05-2024 10:00 am	06-05-2024 11:00 am	Reverse Auction	<a href="#">View Bids</a>
2024-0263	Madison County Hydraulic Diesel Excavator- Re-Bid...	06-05-2024 10:00 am	06-05-2024 11:00 am	Reverse Auction	<a href="#">View Bids</a>
2024-0264	Bozeman Rd Improvements / Hwy 463 to Reunion Parkway...	06-07-2024 1:00 pm	07-11-2024 10:00 am	Sealed Bid	<a href="#">View Bids</a>
2024-0265	Bozeman Rd and Gluckstadt Rd Intersection Improvements...	06-07-2024 1:00 pm	07-11-2024 10:00 am	Sealed Bid	<a href="#">View Bids</a>
2024-0266	Bozeman Rd Improvements / Hwy 463 to Gluckstadt Rd-STP-0085-00(001) LPA/106993-701000...	06-07-2024 1:00 pm	07-11-2024 10:00 am	Sealed Bid	<a href="#">View Bids</a>
2024-0267	Madison County Dump Trallers...	07-11-2024 8:00 am	08-08-2024 10:00 am	Sealed Bid	<a href="#">View Bids</a>

Showing 241 to 247 of 247 entries

[Previous](#) 1 ... [21](#) [22](#) [23](#) [24](#) [25](#) [Next](#)



# Dump Trailers

Menu s Planning and Zoning Bid Tool Email Manager Help Bid Tool

- Create New Bid
- View Pending Bids
- View Open Bids
- View Closed Bids
- View Public Log
- Bid System Log

Show 10 entries

Search:

ID	Name	Phone	Email	Company Name	Date Submitted	Bid Amount	View Bid
3280	Source Management	(950) 373-9500	deltteklusonvia@gmail.com	Source Management	07-25-2024 12:38:06 pm	\$0.00	

Permissions  
Current Time: 08-08-2024 10:00:26 am

Showing 1 to 1 of 1 entries  
[Previous](#) 1 [Next](#)

2024-0267-Bid (No Bid  
↓  
Electronic)

**MADISON COUNTY, MISSISSIPPI**  
**INVITATION FOR BIDS**  
**Dump Trailers**

The Madison County Board of Supervisors will receive un-priced proposals on the following:

**Dump Trailers**

Un-priced proposals will be accepted until 10:00 a.m. on Thursday, August 8, 2024 by electronic submission at <http://www.madison-co.com/bids> or in sealed envelope at the Chancery Clerk's Office, 125 West North Street, Canton, Mississippi. For any questions relating to the electronic submission process, please call Kesha Jackson at 601-855-5534.

Submitted un-priced proposals will be evaluated, and vendors submitting acceptable proposals will be invited to submit priced bids. Bidding will be held by electronic reverse auction on Tuesday, August 13, 2024, at 10:00 a.m. Bidders may come to the Office of Purchasing with a paper bid and receive technical assistance in entering their bid in the reverse auction.

Specifications for the Dump Trailers are available on the bid page of the Madison County Board of Supervisors at: <http://www.madison-co.com/bids>. Additionally, specifications are on file in the Chancery Clerk's Office, Madison County Office Complex, 125 West North Street, Canton, Mississippi, 39046 and available during normal business hours. There is no charge for specifications obtained using either of these methods.

All bids must comply with the specifications provided. Madison County reserves the right to amend the specifications, as necessary, and agrees to notify all who have requested bid packets from the Madison County Board of Supervisors.

The Madison County Board of Supervisors reserves the right to extend the auction date if necessary, to complete the bid proposal pre-qualification process.

Electronic proposals must be submitted at <http://www.madison-co.com/bids>.

All in-person submitted un-priced proposals must be sealed and clearly labeled on the outside of the bid envelope as instructed in the bid package and delivered to the Chancery Clerk's Office, at 125 West North Street, Canton, Mississippi.

The Board of Supervisors reserves the right to reject any and all bids.

SUBMITTED:

MADISON COUNTY JOURNAL

FOR PUBLICATION ON:

Thursday, July 11, 2024

Thursday, July 18, 2024

PROOF OF PUBLICATION TO:

Madison County Chancery Clerk  
PO Box 404  
Canton, MS 39046

# Madison County Board of Supervisors

## Bid Specifications For

### New 2024 Model or New **Dump Trailer**

Complete by Checking the Following  
IF NOT COMPLIANT, state specifically the item being offered

	<u>YES</u>	<u>NO</u>	<u>OFFERED</u>
Capacity: 22 water level to 25 maximum cubic yards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Inside Width: 88 inches (94-1/4 inches O.D.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Inside Length: 24 feet at the floor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Front End: 48 inches-10 gauge radius design with Driver's side access steps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Hoist Box: 10 gauge construction – 50 inches high	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Cylinder: Commercial S84DC-66-180	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Sidewalls: 42 inches 10 gauge with boxed top rail, sloped bottom rail, & posts on 24-inch centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Side Boards: 6-inch wood bolted in steel pockets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tailgate: 48 inches – 10 gauge, 3 panel design with Spreader chains and brackets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tailgate Slope: standard 6-inch forward	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tailgate Hinge: 1-inch plate with 1-1/4 inch pins	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tailgate Latch: air operated from the cab or trailer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Flooring: 10 gauge construction with 45-degree taper at the sidewalls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Cross members: 4-inch channel set on 12-inch centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Longitudinal: 8 inch I-beam, full length of body	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Dump Apron: 9 3/4 HD Sloping Material with Angel Insert	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Chassis: Hybrid Design	<input type="checkbox"/>	<input type="checkbox"/>	

Initial   *A*   Date   *7/25/24*

	<u>YES</u>	<u>NO</u>	<u>OFFERED</u>
Landing Gear: non-load bearing stiff drop leg type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Suspension: Hutchens H900 50,000 lb. capacity, 7 leaf, two spring single point type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Axles: Hendrickson 25,000 lb. capacity, 5" round	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Brakes: 16-1/2 x 7 air actuated with MGM 3030 chambers, Haldex 6" S-A.B.A. & PLC Select 2S/1M FFABS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Drums: outboard mounted heavy-duty cast type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Hubs: KIC 10 stud for hub-piloted mounted wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Wheels: 24.5 x 8.25 10 hole piloted steel disc type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tires: 11R24.5 G-14 ply rated RR150 Double Coin per availability or equal, dual mounted – 8 total	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Lights: 12 volt DC, 7-way connector, Sealco wiring, harness, sealed lamps, & conspicuity taping	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Mud flaps: 24" x 36" rear mounted Palmer rubber type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Color: Body standard palmer silver	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<u>Black in Color</u>
Underbody standard chasses black			
Wheels standard pre-painted white			
Front End Mounted 24" x 14" Mud Flaps LED Lights	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Tarp Tie-Down Bars on sides and tailgate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Non-load bearing stiff legs mounted to draft arms	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Long studs on hubs for future aluminum wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Gross vehicle weight rating (G.V.W.R.) 65,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Gross axle weight rating (G.A.W.R.) 20,000 lbs. each	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Estimated Trailer Weight: 13,470 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
Kingpin setting 24 inches from the front	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

Initial   *PT*   Date   *7/25/24*

Description: 24ft Tandem Axle Hybrid Steel End  
Dump Semi-Trailer

Dump angle: 49 degrees

Suspension setting: 46 1/2 inches from centerline to rear

YES    NO            OFFERED

<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

Warranty

Five year Warranty "Bumper to Bumper"  
Bidder must attached a list of covered items

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<u>Not on Trailer</u>
--------------------------	-------------------------------------	-----------------------

Dump trailers to be free of defects in material and  
Workmanship for Six months from date of delivery,  
and for parts supplied by the suppliers in accordance  
with their warranty policies.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

Initial JA Date 7/25/24

**MANDATORY BID SHEET**

COMPANY NAME: Tri State Truck Center

ADDRESS: 412 Hwy 49 S, Richland, Ms. 39218

TELEPHONE: 601-278-5326

FAX NUMBER: \_\_\_\_\_

EMAIL: tflatt@tristatetruck.com

Todd Flatt AUTHORIZED REPRESENTATIVE'S SIGNATURE 7/25/24 DATE

Todd Flatt  
PRINTED AUTHORIZED REPRESENTATIVE'S NAME HERE

PROPOSAL SHEET MUST BE SIGNED AND DATED BY AN AUTHORIZED COMPANY REPRESENTATIVE

MUST INCLUDE PRODUCT SUMMARY, INCLUDING DETAILS OF ALL FEATURES AND OPTIONS OF PROPOSED VEHICLE