Thomas Lariviere

Objective

To work full or part time in the emergency services community

Experience

1987-2013

City of Madison

Madison, MS

Fire Chief

- Started career department
- Managed staff of 36
- Answer approximately 1800 calls per year
- Oversee plan review and fire inspection program
- Associate Instructor MS Fire Academy for 16 years

1984-1987

City of Ridgeland

Ridgeland, MS

Fire Inspector

- First full time fire inspector, initiated and implemented inspection program
- Pre-planned all commercial structures in city

1980-1984

City of Ridgeland

Ridgeland, MS

Relief firefighter/driver operator

- Worked as firefighter
- Worked as driver/operator/EMT

1979-1984

Yellow Freight, Inc.

Jackson, MS

Maintenance shop supervisor

- Managed truck shop with 54 union mechanics/helpers
- Did payroll for all shop employees
- Was facility safety manager

1976-1979

Truck leasing

Miami, FL

Maintenance shop supervisor

- Managed various maintenance shops for truck leasing operation
- •

Military Service

1967-1976

United States Marine Corps

U.S.A.

- Served at numerous duty stations in US and Pacific
- Honorably discharged with rank of Staff Sergeant, August 1976

Education

- 1967 High School Graduate, Morris Knolls High School, Denville, NJ
- 400 hours on campus National Fire Academy, Emmitsburg, MD
- 1002 hours MS State Fire Academy
- CPM Level I, II, and III MS State Personnel Board Training
- Numerous training seminars, conferences, etc

Other

- Trustee Mississippi Public Employees Retirement System (2006-2013)
- Commissioner, Mississippi Wireless Communications Commission
- Past President/Life member MS Fire Chief's Assn.
- Past President/Life member MS Firefighters Assn.
- Past President MS Fire Instructors Assn.
- National Fire Protection Assn.
- State Vice President, Int'l Assn. Of Fire Chiefs
- Life Member MS Assn. Public Fire Educators
- Member of American Legion
- Eagle Scout

Complete listing of schools, certificates, other activities and references available at your request.